

price list international 2017

Ceiling

ANNEX	4
CURLING	6
ONE EIGHTY	8
PAN AM	9
POPPY	10
REEF	12
SML T5	12

Suspension

ANNEX	16
CENTRAL	18
CURLING	18
GENTLE	23
ONE EIGHTY	24
PAN AM	28
POPPY	29
PROPELLER	29
REEF	30
SEVENTY SEVEN	32
SLICE	32
SML T5	33
TWIN	33
ZOOM	34
ZOOM XL	35

Wall

APP	40
CLUB	40
LID	41
ONE EIGHTY	42
PAN AM	42
POPPY	43
REEF	45
ROD	45
SML	46
SML T5	47
SML ²	48

Table

CLUB	54
ELAINE	55
JOB	56
PAN AM	57
POPPY	57
REEF	57
SLANT	58
SLICE	58

Floor

CLUB	62
CENTRAL	63
ELAINE	63
GENTLE	63
JONES	64
PAN AM	65
POPPY	66
SLANT XL	67
SLICE	68

Accessories

CURLING cover	72
CURLING, REEF canopy profile 2	72
CURLING, REEF canopy profile 3	72
PROPELLER cover	72
SML wall reflector	72
SML wall cover	73
SML ⁺ wall cover	73
MIRROR adapter set	73
ZOOM crystal glass pendant	74
ZOOM XL crystal glass pendant	74
E27 lamp	74
GU10 lamp	74

Info


caption	77
sales	77
awards	78




ANNEX
p. 4




CURLING
p. 6



ONE EIGHTY
p. 8



PAN AM
p. 9



POPPY
p. 10



REEF
p. 12



SML T5
p. 12

ANNEX Ceiling S → available Q1 2017

material	canopy: aluminium polished; cooling unit: aluminium coated white, shade: mouth-blown glass clear or opal;
lamp	reflector: opal (glass/acrylic), aluminium polished or crystal glass with aluminium reflector LED CoB 9 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen lamp 60 W, G9 socket, EEI D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear reflector crystal light: directed downwards, decorative all around	new LED	TRIAC	9 W	2700 K	AN3221	352.94 €	
					3000 K	AN3222	352.94 €	
		HAL	TRIAC	60 W	2800 K	AN1043	310.92 €	
	shade clear reflector opal light: directed downwards, scattered all around	new LED	TRIAC	9 W	2700 K	AN3201	277.31 €	
					3000 K	AN3202	277.31 €	
		HAL	TRIAC	60 W	2800 K	AN1013	235.29 €	
	shade clear reflector polished light: directed downwards, diffuse all around	new LED	TRIAC	9 W	2700 K	AN3211	294.12 €	
					3000 K	AN3212	294.12 €	
		HAL	TRIAC	60 W	2800 K	AN1121	252.10 €	
	shade opal light: diffuse all around	few LED	TRIAC	9 W	2700 K	AN3231	264.71 €	
					3000 K	AN3232	264.71 €	
		few HAL	TRIAC	60 W	2800 K	AN1005	222.69 €	

ANNEX Ceiling M

material	canopy: aluminium polished; cooling unit: aluminium coated white, shade: mouth-blown glass clear or opal;
lamp	reflector: opal (glass/acrylic), aluminium polished or crystal glass with aluminium reflector LED CoB 13 or 24 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen lamp 100 W, B15d socket, EEI D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request; DALI and 1–10 V versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear reflector crystal light: directed downwards, decorative all around	LED	TRIAC	13 W	2700 K	AN3021	504.20 €	
					3000 K	AN3022	504.20 €	
		LED	1–10 V	27 W	2700 K	AN3023	525.21 €	
					3000 K	AN3024	525.21 €	
		LED	DALI	27 W	2700 K	AN3025	525.21 €	
					3000 K	AN3026	525.21 €	
	shade clear reflector opal light: directed downwards, scattered all around	HAL	TRIAC	100 W	2800 K	AN1073	424.37 €	
		LED	TRIAC	13 W	2700 K	AN3001	386.55 €	
					3000 K	AN3002	386.55 €	
		LED	1–10 V	27 W	2700 K	AN3003	407.56 €	
					3000 K	AN3004	407.56 €	
		LED	DALI	27 W	2700 K	AN3006	407.56 €	
	shade clear reflector polished light: directed downwards, diffuse all around				3000 K	AN3007	407.56 €	
		HAL	TRIAC	100 W	2800 K	AN1066	298.32 €	
		LED	TRIAC	13 W	2700 K	AN3011	411.76 €	
					3000 K	AN3012	411.76 €	
		LED	1–10 V	27 W	2700 K	AN3013	432.77 €	
					3000 K	AN3014	432.77 €	
	shade opal light: diffuse all around	LED	DALI	27 W	2700 K	AN3015	432.77 €	
					3000 K	AN3016	432.77 €	
		HAL	TRIAC	100 W	2800 K	AN1078	331.93 €	
		few LED	TRIAC	13 W	2700 K	AN3031	344.54 €	
					3000 K	AN3032	344.54 €	
		few LED	1–10 V	27 W	2700 K	AN3033	365.55 €	
					3000 K	AN3034	365.55 €	
		few LED	DALI	27 W	2700 K	AN3083	365.55 €	
					3000 K	AN3084	365.55 €	
		few HAL	TRIAC	100 W	2800 K	AN1063	285.71 €	

ANNEX Ceiling L

- material** canopy: aluminium polished; cooling unit: aluminium coated white, shade: mouth-blown glass clear or opal; reflector: opal (glass/acrylic), aluminium polished or crystal glass with aluminium reflector
- lamp** LED CoB 34 W, LED holder compatible with Zhaga, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
- features** glass shade mounted tool-free; 110 V versions on request; DALI-versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear reflector crystal light: directed downwards, decorative all around	LED	TRIAC	34 W	2700 K	AN3041	617.65 €	
					3000 K	AN3042	617.65 €	
		LED	1-10 V	41 W	2700 K	AN3043	638.66 €	
					3000 K	AN3044	638.66 €	
		LED	DALI	41 W	2700 K	AN3045	638.66 €	
					3000 K	AN3046	638.66 €	
		HAL	TRIAC	150 W	2900 K	AN1074	554.62 €	
	shade clear reflector opal light: directed downwards, scattered all around	LED	TRIAC	34 W	2700 K	AN3047	445.38 €	
					3000 K	AN3048	445.38 €	
		LED	1-10 V	41 W	2700 K	AN3049	466.39 €	
					3000 K	AN3050	466.39 €	
		LED	DALI	41 W	2700 K	AN3051	466.39 €	
					3000 K	AN3052	466.39 €	
		HAL	TRIAC	150 W	2900 K	AN1067	373.95 €	
	shade clear reflector polished light: directed downwards, diffuse all around	LED	TRIAC	34 W	2700 K	AN3053	478.99 €	
					3000 K	AN3054	478.99 €	
		LED	1-10 V	41 W	2700 K	AN3055	500.00 €	
					3000 K	AN3056	500.00 €	
		LED	DALI	41 W	2700 K	AN3057	500.00 €	
					3000 K	AN3058	500.00 €	
		HAL	TRIAC	150 W	2900 K	AN1079	415.97 €	
	shade opal light: diffuse all around	LED	TRIAC	34 W	2700 K	AN3035	403.36 €	
					3000 K	AN3036	403.36 €	
		LED	1-10 V	41 W	2700 K	AN3037	424.37 €	
					3000 K	AN3038	424.37 €	
		LED	DALI	41 W	2700 K	AN3039	424.37 €	
					3000 K	AN3040	424.37 €	
		HAL	TRIAC	150 W	2900 K	AN1064	361.34 €	

CURLING Ceiling S

material	canopy and housing: polished aluminium; shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape
lamp	LED CoB 11 W, LED Holder compatible with Zhaga, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen lamp 48 W, G9 socket, EEI D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, decorative all around	LED 	TRIAC	11 W	2700 K	CU1001	289.92 €	
					3000 K	CU1005	289.92 €	
		HAL 	TRIAC	48 W	2700 K	CU1025	222.69 €	
	shade clear reflector conical light: directed downwards, diffuse all around	LED 	TRIAC	11 W	2700 K	CU1002	315.13 €	
					3000 K	CU1006	315.13 €	
		HAL 	TRIAC	48 W	2700 K	CU1026	247.90 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	LED 	TRIAC	11 W	2700 K	CU1003	315.13 €	
					3000 K	CU1007	315.13 €	
		HAL 	TRIAC	48 W	2700 K	CU1027	247.90 €	
	shade opal light: directed downwards, diffuse all around	LED 	TRIAC	11 W	2700 K	CU1004	289.92 €	
					3000 K	CU1008	289.92 €	
		HAL 	TRIAC	48 W	2700 K	CU1028	222.69 €	

CURLING Ceiling M

material	canopy and housing: polished aluminium; shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape
lamp	LED CoB 13 or 27 W, LED Holder compatible with Zhaga, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen lamps 3 x 33 W, G9 socket, EEI D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request; DALI-versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, decorative all around	LED 	TRIAC	13 W	2700 K	CU1101	361.34 €	
					3000 K	CU1105	361.34 €	
		LED 	1-10 V	27 W	2700 K	CU1109	382.35 €	
					3000 K	CU1113	382.35 €	
		LED 	DALI	27 W	2700 K	CU1161	382.35 €	
					3000 K	CU1165	382.35 €	
		HAL 	TRIAC	99 W	2700 K	CU1149	247.90 €	
		LED 	TRIAC	13 W	2700 K	CU1102	390.76 €	
					3000 K	CU1106	390.76 €	
		LED 	1-10 V	27 W	2700 K	CU1110	411.76 €	
	shade clear reflector conical light: directed downwards, diffuse all around				3000 K	CU1114	411.76 €	
		LED 	DALI	27 W	2700 K	CU1162	411.76 €	
					3000 K	CU1166	411.76 €	
		HAL 	TRIAC	99 W	2700 K	CU1150	268.91 €	
		LED 	TRIAC	13 W	2700 K	CU1103	390.76 €	
					3000 K	CU1107	390.76 €	
		LED 	1-10 V	27 W	2700 K	CU1111	411.76 €	
					3000 K	CU1115	411.76 €	
		LED 	DALI	27 W	2700 K	CU1163	411.76 €	
					3000 K	CU1167	411.76 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	HAL 	TRIAC	99 W	2700 K	CU1151	268.91 €	
		LED 	TRIAC	13 W	2700 K	CU1104	361.34 €	
					3000 K	CU1108	361.34 €	
		LED 	1-10 V	27 W	2700 K	CU1112	382.35 €	
					3000 K	CU1116	382.35 €	
		LED 	DALI	27 W	2700 K	CU1164	382.35 €	
					3000 K	CU1168	382.35 €	
		HAL 	TRIAC	99 W	2700 K	CU1152	247.90 €	
	shade opal light: directed downwards, diffuse all around							

CURLING Ceiling L → available Q3 2017

material	canopy and housing: polished aluminium; shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape
lamp	LED CoB 34 W, LED Holder compatible with Zhaga, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request; DALI-versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, decorative all around	new LED 	TRIAC	34 W	2700 K	CU1317	424.37 €	
					3000 K	CU1321	424.37 €	
		new LED 	1–10 V	34 W	2700 K	CU1309	445.38 €	
					3000 K	CU1313	445.38 €	
		new LED 	DALI	34 W	2700 K	CU1301	445.38 €	
					3000 K	CU1305	445.38 €	
	shade clear reflector conical light: directed downwards, diffuse all around	new LED 	TRIAC	34 W	2700 K	CU1318	453.78 €	
					3000 K	CU1322	453.78 €	
		new LED 	1–10 V	34 W	2700 K	CU1310	474.79 €	
					3000 K	CU1314	474.79 €	
		new LED 	DALI	34 W	2700 K	CU1302	474.79 €	
					3000 K	CU1306	474.79 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	new LED 	TRIAC	34 W	2700 K	CU1319	453.78 €	
					3000 K	CU1323	453.78 €	
		new LED 	1–10 V	34 W	2700 K	CU1311	474.79 €	
					3000 K	CU1315	474.79 €	
		new LED 	DALI	34 W	2700 K	CU1303	474.79 €	
					3000 K	CU1307	474.79 €	
	shade opal light: directed downwards, diffuse all around	new LED 	TRIAC	34 W	2700 K	CU1320	424.37 €	
					3000 K	CU1324	424.37 €	
		new LED 	1–10 V	34 W	2700 K	CU1312	445.38 €	
					3000 K	CU1316	445.38 €	
		new LED 	DALI	34 W	2700 K	CU1304	445.38 €	
					3000 K	CU1308	445.38 €	

ONE EIGHTY Ceiling S → available Q2 2017

material	shade and canopy: brushed aluminium with protective coating, coated white or black; decorative rings, rotation/tilt joint: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEL A+ to E);
light	directed forwards, shielded to the sides
accessory	cover plate included
features	shade can be rotated by 350° and tilted by 180°, luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	9.5 W	2700 K	OE1113	285.71 €	
		without		60 W max.		OE1013	252.10 €	
●	black	new LED	TRIAC	9.5 W	2700 K	OE1125	285.71 €	
		without		60 W max.		OE1025	252.10 €	
○	white	new LED	TRIAC	9.5 W	2700 K	OE1114	285.71 €	
		without		60 W max.		OE1014	252.10 €	

ONE EIGHTY Ceiling L → available Q2 2017

material	shade and canopy: brushed aluminium with protective coating, coated white or black; decorative rings, rotation/tilt joint: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEL A++ to E)
light	directed forwards, shielded to the sides
accessory	cover plate included
features	shade can be rotated by 350° and tilted by 180°, luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18.5 W	2700 K	OE1115	352.94 €	
		without		100 W max.		OE1015	294.12 €	
●	black	new LED	TRIAC	18.5 W	2700 K	OE1126	352.94 €	
		without		100 W max.		OE1026	294.12 €	
○	white	new LED	TRIAC	18.5 W	2700 K	OE1116	352.94 €	
		without		100 W max.		OE1016	294.12 €	

ONE EIGHTY Ceiling Track S → available Q2 2017

material	shade and canopy: brushed aluminium with protective coating, coated white or black; decorative rings, rotation/tilt joint: steel nickel-plated
lamp	3-phase-adaptor for power tracks Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEL A+ to E)
light	directed forwards, shielded to the sides
features	shade can be rotated by 350° and tilted by 180°




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	9.5 W	2700 K	OE1017	319.33 €	
		without		60 W max.		OE1117	285.71 €	
●	black	new LED	TRIAC	9.5 W	2700 K	OE1027	319.33 €	
		without		60 W max.		OE1127	285.71 €	
○	white	new LED	TRIAC	9.5 W	2700 K	OE1018	319.33 €	
		without		60 W max.		OE1118	285.71 €	

ONE EIGHTY Ceiling Track L → available Q2 2017

material	shade and canopy: brushed aluminium with protective coating, coated white or black; decorative rings, rotation/tilt joint: steel nickel-plated; 3-phase-adapter for power tracks
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light features	directed forwards, shielded to the sides shade can be rotated by 350° and tilted by 180°




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18.5 W	2700 K	OE1119	388.55 €	
		without		100 W max.		OE1019	327.73 €	
●	black	new LED	TRIAC	18.5 W	2700 K	OE1128	388.55 €	
		without		100 W max.		OE1028	327.73 €	
○	white	new LED	TRIAC	18.5 W	2700 K	OE1120	388.55 €	
		without		100 W max.		OE1020	327.73 €	

PAN AM Ceiling → available Q2 2017

material	brushed aluminium with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light features	directed forwards, shielded to the sides and rearwards shade can be rotated by 350° and tilted by 270° to the sides; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18,5 W	2700 K	PA3031	470.59 €	
		without		150 W max.		PA1031	411.76 €	

PAN AM Ceiling Track → available Q2 2017

material	brushed aluminium with protective coating; 3-phase-adapter for power tracks
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light features	directed forwards, shielded to the sides and rearwards shade can be rotated by 350° and tilted by 270° to the sides




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18,5 W	2700 K	PA3041	453.78 €	
		without		150 W max.		PA1041	394.96 €	

POPPY Ceiling 1

material	arm: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	halogen lamp 35 W, 12 V, G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arm beige, shade ceramic	HAL	TRIAC	35 W	2700 K	PO1028	327.73 €	
	arm beige, shade ruby red	HAL	TRIAC	35 W	2700 K	PO1029	327.73 €	
	arm beige, shade black violet	HAL	TRIAC	35 W	2700 K	PO1030	327.73 €	
	arm black, shade ceramic	HAL	TRIAC	35 W	2700 K	PO1025	327.73 €	
	arm black, shade ruby red	HAL	TRIAC	35 W	2700 K	PO1026	327.73 €	
	arm black, shade black violet	HAL	TRIAC	35 W	2700 K	PO1027	327.73 €	

POPPY Ceiling 2

material	2 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	2 x halogen lamp 35 W, 12 V, 2 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	70 W	2700 K	PO1034	411.76 €	
	arms beige, shades ruby red	HAL	TRIAC	70 W	2700 K	PO1035	411.76 €	
	arms beige, shades black violet	HAL	TRIAC	70 W	2700 K	PO1036	411.76 €	
	arms black, shades ceramic	HAL	TRIAC	70 W	2700 K	PO1031	411.76 €	
	arms black, shades ruby red	HAL	TRIAC	70 W	2700 K	PO1032	411.76 €	
	arms black, shades black violet	HAL	TRIAC	70 W	2700 K	PO1033	411.76 €	

POPPY Ceiling 3

material	3 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	3 x halogen lamp 35 W, 12 V, 3 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	105 W	2700 K	PO1040	495.80 €	
	arms beige, shades ruby red	HAL	TRIAC	105 W	2700 K	PO1041	495.80 €	
	arms beige, shades black violet	HAL	TRIAC	105 W	2700 K	PO1042	495.80 €	
	arms black, shades ceramic	HAL	TRIAC	105 W	2700 K	PO1037	495.80 €	
	arms black, shades ruby red	HAL	TRIAC	105 W	2700 K	PO1038	495.80 €	
	arms black, shades black violet	HAL	TRIAC	105 W	2700 K	PO1039	495.80 €	

POPPY Ceiling 5

material	5 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	5 x halogen lamp 20 W, 12 V, 5 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	100 W	2700 K	PO1046	663.87 €	
	arms beige, shades ruby red	HAL	TRIAC	100 W	2700 K	PO1047	663.87 €	
	arms beige, shades black violet	HAL	TRIAC	100 W	2700 K	PO1048	663.87 €	
	arms black, shades ceramic	HAL	TRIAC	100 W	2700 K	PO1043	663.87 €	
	arms black, shades ruby red	HAL	TRIAC	100 W	2700 K	PO1044	663.87 €	
	arms black, shades black violet	HAL	TRIAC	100 W	2700 K	PO1045	663.87 €	

POPPY Ceiling 15

material	15 arms: flexible, textile coated aluminium tubes in beige or black, length 75 or 150 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, brushed
lamp	15 x halogen lamp 20 W, 12 V, 15 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms 75 cm beige, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1013	1,504.20 €	
	arms 75 cm beige, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1014	1,504.20 €	
	arms 75 cm beige, shades black violet	HAL	TRIAC	300 W	2700 K	PO1015	1,504.20 €	
	arms 75 cm black, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1007	1,504.20 €	
	arms 75 cm black, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1008	1,504.20 €	
	arms 75 cm black, shades black violet	HAL	TRIAC	300 W	2700 K	PO1009	1,504.20 €	
	arms 150 cm beige, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1016	1,672.27 €	
	arms 150 cm beige, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1017	1,672.27 €	
	arms 150 cm beige, shades black violet	HAL	TRIAC	300 W	2700 K	PO1018	1,672.27 €	
	arms 150 cm black, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1010	1,672.27 €	
	arms 150 cm black, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1011	1,672.27 €	
	arms 150 cm black, shades black violet	HAL	TRIAC	300 W	2700 K	PO1012	1,672.27 €	

REEF Ceiling (with integrated control gear)

material	housing: aluminium polished or brushed, velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 8 W, CRI Ra>90, EEI A+ (suitable for A++ to A)
light	directed downwards, diffuse all around
features	shade removable tool-free and dishwasher safe




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED	TRIAC	8 W	2700 K	RF2009	273,11 €	
	brushed	LED	TRIAC	8 W	2700 K	RF2007	273,11 €	
	velour gold	LED	TRIAC	8 W	2700 K	RF2010	327,73 €	

REEF Ceiling (without control gear)

material	housing: aluminium polished or brushed, velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 8 W, CRI Ra>90, EEI A+ (suitable for A++ to A), to be operated with LED- constant-current driver DC 10,5 V/700 mA or halogen lamp 33 W, G9 socket, EEI D (suitable for C to E)
light	directed downwards, diffuse all around
features	delivery without control gear; external control gear on request; shade dishwasher safe; LED-version: shade removable tool-free




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED		8 W max	2700 K	RF2003	214,29 €	
		HAL	TRIAC	33 W max	2700 K	RF1017	172,27 €	
	brushed	LED		8 W max	2700 K	RF2001	189,08 €	
		HAL	TRIAC	33 W max	2700 K	RF1012	172,27 €	
	velour gold	LED		8 W max	2700 K	RF2005	277,31 €	

SML T5 Ceiling

material	housing: aluminium anodized silver; canopy: coated silver; lamp covers: polycarbonate satinée or printed with raster
lamp	2 x fluorescent lamp 54 W, 2 x G5 socket, EEI A (suitable for A+ to E)




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver cover: raster upwards/satinée downwards	FL	DSI	108 W	3000 K	SM5191	571.43 €	
					4000 K	SM1191	571.43 €	
	silver cover: satinée upwards/raster downwards	FL	DSI	108 W	3000 K	SM5087	571.43 €	
					4000 K	SM1087	571.43 €	
	silver cover: satinée upwards/satinée downwards	FL	DSI	108 W	3000 K	SM5089	571.43 €	
					4000 K	SM1089	571.43 €	




ANNEX
p. 16




CENTRAL
p. 18



CURLING
p. 18




GENTLE
p. 23




ONE EIGHTY
p. 24




PAN AM
p. 28




POPPY
p. 29




PROPELLER
p. 29




REEF
p. 30




SEVENTY SEVEN
p. 32




SLICE
p. 32




SML T5
p. 33



TWIN
p. 33



ZOOM
p. 34



ZOOM XL
p. 35

ANNEX Suspension M

material	canopy: aluminium polished; cooling unit: aluminium coated white; shade: mouth-blown glass clear or opal; reflector: opal (glass/acrylic), aluminium polished or crystal glass with aluminium reflector; suspension: chromed steel tube
lamp	LED CoB 13 or 27 W, CRI Ra>90, R9>50, EEL A+ (suitable for A++ to A) or halogen lamp 100 W, B15 socket, EEL D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	glass shade mounted tool-free; 110 V versions on request; DALI and 1–10 V versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear reflector crystal light: directed downwards, decorative all around	LED	TRIAC	13 W	2700 K	AN3121	626.05 €	
					3000 K	AN3122	626.05 €	
		LED	1–10 V	27 W	2700 K	AN3123	647.06 €	
					3000 K	AN3124	647.06 €	
		LED	DALI	27 W	2700 K	AN3125	647.06 €	
					3000 K	AN3126	647.06 €	
	shade clear reflector opal light: directed downwards, diffuse all around	HAL	TRIAC	100 W	2800 K	AN1075	542.02 €	
					2800 K	AN1075	542.02 €	
		LED	TRIAC	13 W	2700 K	AN3101	508.40 €	
					3000 K	AN3102	508.40 €	
		LED	1–10 V	27 W	2700 K	AN3103	529.41 €	
					3000 K	AN3104	529.41 €	
	shade clear reflector polished light: directed downwards, diffuse all around	LED	DALI	27 W	2700 K	AN3105	529.41 €	
					3000 K	AN3106	529.41 €	
		HAL	TRIAC	100 W	2800 K	AN1070	415.97 €	
					2800 K	AN1070	415.97 €	
		LED	TRIAC	13 W	2700 K	AN3111	533.61 €	
					3000 K	AN3112	533.61 €	
	shade opal light: diffuse all around	LED	1–10 V	27 W	2700 K	AN3113	554.62 €	
					3000 K	AN3114	554.62 €	
		LED	DALI	27 W	2700 K	AN3116	554.62 €	
					3000 K	AN3117	554.62 €	
		HAL	TRIAC	100 W	2800 K	AN1080	449.58 €	
					2800 K	AN1080	449.58 €	
		LED	TRIAC	13 W	2700 K	AN3131	466.39 €	
					3000 K	AN3132	466.39 €	
	shade opal light: diffuse all around	LED	1–10 V	27 W	2700 K	AN3133	487.39 €	
					3000 K	AN3134	487.39 €	
		LED	DALI	27 W	2700 K	AN3183	487.39 €	
					3000 K	AN3184	487.39 €	
		HAL	TRIAC	100 W	2800 K	AN1068	403.36 €	
					2800 K	AN1068	403.36 €	

ANNEX Suspension L

- material** canopy: aluminium polished; cooling unit: aluminium coated white;
shade: mouth-blown glass clear or opal; reflector: opal (glass/acrylic), aluminium polished or crystal glass with aluminium reflector; suspension: chromed steel tube
- lamp** LED CoB 34 or 41 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen lamp 150 W, E27 socket, EEI D (suitable for C to E); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
- features** glass shade mounted tool-free; 110 V versions on request; DALI versions are suitable for the use in emergency lighting systems; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear reflector crystal light: directed downwards, decorative all around	LED	TRIAC	34 W	2700 K	AN3141	739.50 €	
					3000 K	AN3142	739.50 €	
		LED	1-10 V	41 W	2700 K	AN3143	760.50 €	
					3000 K	AN3144	760.50 €	
		LED	DALI	41 W	2700 K	AN3145	760.50 €	
					3000 K	AN3146	760.50 €	
		HAL	TRIAC	150 W	2700 K	AN1076	672.27 €	
					3000 K	AN3147	567.23 €	
	shade clear reflector opal light: directed downwards, diffuse all around	LED	TRIAC	34 W	2700 K	AN3147	567.23 €	
					3000 K	AN3148	567.23 €	
		LED	1-10 V	41 W	2700 K	AN3149	588.24 €	
					3000 K	AN3150	588.24 €	
		LED	DALI	41 W	2700 K	AN3151	588.24 €	
					3000 K	AN3152	588.24 €	
		HAL	TRIAC	150 W	2700 K	AN1071	491.60 €	
					3000 K	AN3153	600.84 €	
	shade clear reflector polished light: directed downwards, diffuse all around	LED	TRIAC	34 W	2700 K	AN3153	600.84 €	
					3000 K	AN3154	600.84 €	
		LED	1-10 V	41 W	2700 K	AN3155	621.85 €	
					3000 K	AN3156	621.85 €	
		LED	DALI	41 W	2700 K	AN3157	621.85 €	
					3000 K	AN3158	621.85 €	
		HAL	TRIAC	150 W	2700 K	AN1081	533.61 €	
					3000 K	AN3135	525.21 €	
	shade opal light: diffuse all around	LED	TRIAC	34 W	2700 K	AN3135	525.21 €	
					3000 K	AN3136	525.21 €	
		LED	1-10 V	41 W	2700 K	AN3137	546.22 €	
					3000 K	AN3138	546.22 €	
		LED	DALI	41 W	2700 K	AN3139	546.22 €	
					3000 K	AN3140	546.22 €	
		HAL	TRIAC	150 W	2700 K	AN1069	478.99 €	
					3000 K	AN1069	478.99 €	

CENTRAL Suspension

material	shade and canopy: aluminium coated satin black, satin white or satin pearl grey; cable: Teflon™ transparent
lamp	LED CoB 37,5 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
light	directed downwards, decorative light groove in shade
features	control: on/off/dimming due to an integrated gesture sensor (not compatible with external dimmers); further lengths and external dimming on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	pearl grey	LED	sensor	37,5 W	2700 K	CE1113	1,243.70 €	
	black	LED	sensor	37,5 W	2700 K	CE1111	1,159.66 €	
	white	LED	sensor	37,5 W	2700 K	CE1112	1,159.66 €	

CURLING Suspension Rope S

material	canopy and housing: polished aluminium; suspension: three stainless steel ropes;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape
accessory	LED CoB 11 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); or halogen 48 W, G9 socket; EEI D (suitable for C to E); other versions (CCT/CRI/power) on request; LED unit can be replaced on site
features	cover plate, canopy profile 2 or 3 glass shade mounted tool-free; 110 V versions on request; special lengths on request



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	LED	TRIAC	11 W	2700 K	CU1009	445.38 €	
					3000 K	CU1013	445.38 €	
		HAL	TRIAC	48 W	2800 K	CU1029	378.15 €	
	shade clear reflector conical light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1010	470.59 €	
					3000 K	CU1014	470.59 €	
		HAL	TRIAC	48 W	2800 K	CU1030	403.36 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1011	470.59 €	
					3000 K	CU1015	470.59 €	
		HAL	TRIAC	48 W	2800 K	CU1031	403.36 €	
	shade opal light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1012	445.38 €	
					3000 K	CU1016	445.38 €	
		HAL	TRIAC	48 W	2800 K	CU1032	378.15 €	

CURLING Suspension Rope M

material	canopy and housing: polished aluminium; suspension: three stainless steel ropes;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape LED CoB 13 W or 27 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEIA+ (suitable for A++ to A); or halogen 3 x 33 W, 3 x G9 socket; EEI D (suitable for C to E); other versions (CCT/CRI/power) on request; LED unit can be replaced on site
accessory	cover plate, canopy profile 2 or 3
features	glass shade mounted tool-free; 110 V versions on request; DALI versions are suitable for the use in emergency lighting systems; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	LED	TRIAC	13 W	2700 K	CU1117	529.41 €	
					3000 K	CU1121	529.41 €	
		LED	1-10 V	27 W	2700 K	CU1125	550.42 €	
					3000 K	CU1129	550.42 €	
		LED	DALI	27 W	2700 K	CU1169	550.42 €	
					3000 K	CU1173	550.42 €	
		HAL	TRIAC	99 W	2700 K	CU1153	415.97 €	
	shade clear reflector conical light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1118	558.82 €	
					3000 K	CU1122	558.82 €	
		LED	1-10 V	27 W	2700 K	CU1126	579.83 €	
					3000 K	CU1130	579.83 €	
		LED	DALI	27 W	2700 K	CU1170	579.83 €	
					3000 K	CU1174	579.83 €	
		HAL	TRIAC	99 W	2700 K	CU1154	436.97 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1119	558.82 €	
					3000 K	CU1123	558.82 €	
		LED	1-10 V	27 W	2700 K	CU1127	579.83 €	
					3000 K	CU1131	579.83 €	
		LED	DALI	27 W	2700 K	CU1171	579.83 €	
					3000 K	CU1175	579.83 €	
		HAL	TRIAC	99 W	2700 K	CU1155	436.97 €	
	shade opal light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1120	529.41 €	
					3000 K	CU1124	529.41 €	
		LED	1-10 V	27 W	2700 K	CU1128	550.42 €	
					3000 K	CU1132	550.42 €	
		LED	DALI	27 W	2700 K	CU1172	550.42 €	
					3000 K	CU1176	550.42 €	
		HAL	TRIAC	99 W	2700 K	CU1156	415.97 €	

CURLING Suspension Rope L → available Q3 2017

material	canopy and housing: polished aluminium; suspension: three stainless steel ropes;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape LED CoB 34 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEL A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
accessory	cover plate, canopy profile 2 or 3
features	glass shade mounted tool-free; 110 V versions on request; DALI versions are suitable for the use in emergency lighting systems; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	new LED	TRIAC	34 W	2700 K	CU1341	592.44 €	
					3000 K	CU1345	592.44 €	
		new LED	1-10 V	34 W	2700 K	CU1333	613.45 €	
					3000 K	CU1337	613.45 €	
		new LED	DALI	34 W	2700 K	CU1325	613.45 €	
					3000 K	CU1329	613.45 €	
	shade clear reflector conical light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1342	621.85 €	
					3000 K	CU1346	621.85 €	
		new LED	1-10 V	34 W	2700 K	CU1334	642.86 €	
					3000 K	CU1338	642.86 €	
		new LED	DALI	34 W	2700 K	CU1326	642.86 €	
					3000 K	CU1330	642.86 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1343	621.85 €	
					3000 K	CU1347	621.85 €	
		new LED	1-10 V	34 W	2700 K	CU1335	642.86 €	
					3000 K	CU1339	642.86 €	
		new LED	DALI	34 W	2700 K	CU1327	642.86 €	
					3000 K	CU1331	642.86 €	
	shade opal light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1344	592.44 €	
					3000 K	CU1348	592.44 €	
		new LED	1-10 V	34 W	2700 K	CU1336	613.45 €	
					3000 K	CU1340	613.45 €	
		new LED	DALI	34 W	2700 K	CU1328	613.45 €	
					3000 K	CU1332	613.45 €	

CURLING Suspension Tube S

material	canopy and housing: polished aluminium; suspension: chromed steel tube;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape LED CoB 11 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen 48 W, G9 socket; EEI D (suitable for C to E); other versions (CCT/CRI/power) on request; LED unit can be replaced on site
accessory	cover plate, canopy profile 2 or 3
features	glass shade mounted tool-free; 110 V versions on request; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	LED	TRIAC	11 W	2700 K	CU1017	407.56 €	
					3000 K	CU1021	407.56 €	
		HAL	TRIAC	48 W	2700 K	CU1033	340.34 €	
	shade clear reflector conical light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1018	432.77 €	
					3000 K	CU1022	432.77 €	
		HAL	TRIAC	48 W	2700 K	CU1034	365.55 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1019	432.77 €	
					3000 K	CU1023	432.77 €	
		HAL	TRIAC	48 W	2700 K	CU1035	365.55 €	
	shade opal light: directed downwards, diffuse all around	LED	TRIAC	11 W	2700 K	CU1020	407.56 €	
					3000 K	CU1024	407.56 €	
		HAL	TRIAC	48 W	2700 K	CU1036	340.34 €	

CURLING Suspension Tube M

material	canopy and housing: polished aluminium; suspension: chromed steel tube;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape LED CoB 13 or 27 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or halogen 48 W, G9 socket; EEI D (suitable for C to E); other versions (CCT/CRI/power) on request; LED unit can be replaced on site
accessory	cover plate, canopy profile 2 or 3
features	glass shade mounted tool-free; 110 V versions on request; DALI versions are suitable for the use in emergency lighting systems; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	LED	TRIAC	13 W	2700 K	CU1133	487.39 €	
					3000 K	CU1137	487.39 €	
		LED	1-10 V	27 W	2700 K	CU1141	508.40 €	
					3000 K	CU1145	508.40 €	
		LED	DALI	27 W	2700 K	CU1177	508.40 €	
					3000 K	CU1181	508.40 €	
		HAL	TRIAC	99 W	2700 K	CU1157	365.55 €	
	shade clear reflector conical light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1134	516.81 €	
					3000 K	CU1138	516.81 €	
		LED	1-10 V	27 W	2700 K	CU1142	537.82 €	
					3000 K	CU1146	537.82 €	
		LED	DALI	27 W	2700 K	CU1178	537.82 €	
					3000 K	CU1182	537.82 €	
		HAL	TRIAC	99 W	2700 K	CU1158	386.55 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1135	516.81 €	
					3000 K	CU1139	516.81 €	
		LED	1-10 V	27 W	2700 K	CU1143	537.82 €	
					3000 K	CU1147	537.82 €	
		LED	DALI	27 W	2700 K	CU1179	537.82 €	
					3000 K	CU1183	537.82 €	
		HAL	TRIAC	99 W	2700 K	CU1159	386.55 €	
	shade opal light: directed downwards, diffuse all around	LED	TRIAC	13 W	2700 K	CU1136	487.39 €	
					3000 K	CU1140	487.39 €	
		LED	1-10 V	27 W	2700 K	CU1144	508.40 €	
					3000 K	CU1148	508.40 €	
		LED	DALI	27 W	2700 K	CU1180	508.40 €	
					3000 K	CU1184	508.40 €	
		HAL	TRIAC	99 W	2700 K	CU1160	365.55 €	

CURLING Suspension Tube L → available Q3 2017

material	canopy and housing: polished aluminium; suspension: chromed steel tube;
lamp	shade: mouth-blown glass clear or opal; reflector: acrylic glass opal, cylindrical or conical shape LED CoB 13 or 27 W, LED Holder Zhaga compatible, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit can be replaced on site
accessory	cover plate, canopy profile 2 or 3e
features	glass shade mounted tool-free; 110 V versions on request; DALI versions are suitable for the use in emergency lighting systems; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	shade clear light: directed downwards, distributed all around	new LED	TRIAC	34 W	2700 K	CU1365	550.42 €	
					3000 K	CU1369	550.42 €	
		new LED	1-10 V	34 W	2700 K	CU1357	571.43 €	
					3000 K	CU1361	571.43 €	
		new LED	DALI	34 W	2700 K	CU1349	571.43 €	
					3000 K	CU1353	571.43 €	
	shade clear reflector conical light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1366	579.83 €	
					3000 K	CU1370	579.83 €	
		new LED	1-10 V	34 W	2700 K	CU1358	600.84 €	
					3000 K	CU1362	600.84 €	
		new LED	DALI	34 W	2700 K	CU1350	600.84 €	
					3000 K	CU1354	600.84 €	
	shade clear reflector cylindrical light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1367	579.83 €	
					3000 K	CU1371	579.83 €	
		new LED	1-10 V	34 W	2700 K	CU1359	600.84 €	
					3000 K	CU1363	600.84 €	
		new LED	DALI	34 W	2700 K	CU1351	600.84 €	
					3000 K	CU1355	600.84 €	
	shade opal light: directed downwards, diffuse all around	new LED	TRIAC	34 W	2700 K	CU1368	550.42 €	
					3000 K	CU1372	550.42 €	
		new LED	1-10 V	34 W	2700 K	CU1360	571.43 €	
					3000 K	CU1364	571.43 €	
		new LED	DALI	34 W	2700 K	CU1352	571.43 €	
					3000 K	CU1356	571.43 €	

GENTLE Suspension

material	canopy and shade mount: stainless steel brushed; cover: smocked wild silk; shade: polyethylene white opal
lamp	LED lamp, E27 socket, EEI A (suitable for A++ to A) or halogen lamp 150 W, E27 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse to the sides
features	cover removable and washable




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	few LED	TRIAC	18 W	2700 K	GE1004	781.51 €	
		few HAL	TRIAC	150 W	2900 K	GE1002	739.50 €	

ONE EIGHTY Suspension S → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEI A+ to E)
light	directly, shielded to the sides
features	cover plate included with delivery; special lengths on request



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	9.5 W	2700 K	OE1101	310.92 €	
		without		60 W max.		OE1001	277.31 €	
●	black	new LED	TRIAC	9.5 W	2700 K	OE1021	310.92 €	
		without		60 W max.		OE1021	277.31 €	
○	white	new LED	TRIAC	9.5 W	2700 K	OE1103	310.92 €	
		without		60 W max.		OE1003	277.31 €	

ONE EIGHTY Suspension L → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light	directly, shielded to the sides
features	cover plate included with delivery; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18.5 W	2700 K	OE1105	378.15 €	
		without		100 W max.		OE1005	319.33 €	
●	black	new LED	TRIAC	18.5 W	2700 K	OE1123	378.15 €	
		without		100 W max.		OE1023	319.33 €	
○	white	new LED	TRIAC	18.5 W	2700 K	OE1107	378.15 €	
		without		100 W max.		OE1007	319.33 €	

ONE EIGHTY Suspension Adjustable S → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEI A+ to E);
light	directly, shielded to the sides
features	convenient height adjustment; suitable for ceiling heights up to 3,3 m




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	new LED	TRIAC	9.5 W	2700 K	OE1102	403.36 €	
		without		60 W max.		OE1002	361.34 €	
	black	new LED	TRIAC	9.5 W	2700 K	OE1122	403.36 €	
		without		60 W max.		OE1022	361.34 €	
	white	new LED	TRIAC	9.5 W	2700 K	OE1104	403.36 €	
		without		60 W max.		OE1004	361.34 €	

ONE EIGHTY Suspension Adjustable L → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light	directly, shielded to the sides
features	convenient height adjustment; suitable for ceiling heights to ca. 3,3 m




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	new LED	TRIAC	18.5 W	2700 K	OE1106	462.18 €	
		without		100 W max.		OE1006	403.36 €	
	black	new LED	TRIAC	18.5 W	2700 K	OE1124	462.18 €	
		without		100 W max.		OE1024	403.36 €	
	white	new LED	TRIAC	18.5 W	2700 K	OE1108	462.18 €	
		without		100 W max.		OE1008	403.36 €	

ONE EIGHTY Suspension Track S → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated; 3 circuit track adapter
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEI A+ to E)
light features	directly, shielded to the sides special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	9.5 W	2700 K	OE1109	344.54 €	
		without		60 W max.		OE1009	310.92 €	
●	black	new LED	TRIAC	9.5 W	2700 K	OE1129	344.54 €	
		without		60 W max.		OE1029	310.92 €	
○	white	new LED	TRIAC	9.5 W	2700 K	OE1110	344.54 €	
		without		60 W max.		OE1010	310.92 €	

ONE EIGHTY Suspension Track L → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated; 3 circuit track adapter
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light features	directly, shielded to the sides special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18.5 W	2700 K	OE1111	411.76 €	
		without		100 W max.		OE1011	352.94 €	
●	black	new LED	TRIAC	18.5 W	2700 K	OE1130	411.76 €	
		without		100 W max.		OE1030	352.94 €	
○	white	new LED	TRIAC	18.5 W	2700 K	OE1112	411.76 €	
		without		100 W max.		OE1012	352.94 €	

ONE EIGHTY Suspension Track Adjustable S → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated; 3 circuit track adapter
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEI A+ to E)
light	directly, shielded to the sides
features	convenient height adjustment; suitable for ceiling heights up to 3,3 m



figure	description			power		art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new	LED 	TRIAC	9.5 W	2700 K	OE1136	428.57 €
			without		60 W max.		OE1036	394.96 €
●	black	new	LED 	TRIAC	9.5 W	2700 K	OE1134	428.57 €
			without		60 W max.		OE1034	394.96 €
○	white	new	LED 	TRIAC	9.5 W	2700 K	OE1135	428.57 €
			without		60 W max.		OE1035	394.96 €

ONE EIGHTY Suspension Track Adjustable L → available Q2 2017

material	shade and canopy: aluminium brushed with protective coating or coated white or black; decorative rings: steel nickel-plated; 3 circuit track adapter
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light	directly, shielded to the sides
features	convenient height adjustment; suitable for ceiling heights up to 3,3 m



figure	description			power		art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new	LED 	TRIAC	18.5 W	2700 K	OE1133	495.80 €
			without		100 W max.		OE1033	436.97 €
●	black	new	LED 	TRIAC	18.5 W	2700 K	OE1131	495.80 €
			without		100 W max.		OE1031	436.97 €
○	white	new	LED 	TRIAC	18.5 W	2700 K	OE1132	495.80 €
			without		100 W max.		OE1032	436.97 €

PAN AM Suspension → available Q2 2017

material	aluminium brushed with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEL A++ to E)
light	directly forward, shielded to the sides and rearwards
features	shade can be rotated by 350° and tilted by 270° to the sides; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED 	TRIAC	18,5 W	2700 K	PA3051	588.24 €	
		without		150 W max.		PA1051	529.41 €	

PAN AM Suspension Track → available Q2 2017

material	aluminium brushed with protective coating; 3 circuit track adapter
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEL A++ to E)
light	directly forward, shielded to the sides and rearwards
features	shade can be rotated by 350° and tilted by 270° to the sides; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED 	TRIAC	18,5 W	2700 K	PA3061	668.07 €	
		without		150 W max.		PA1061	609.24 €	

POPPY Suspension

material	30 arms: flexible, textile coated aluminium tubes in beige or black; glass shades: mouth-blown glass black violet, ruby red or ceramic; reflector-lamellae: bimetal; canopy and housing: stainless steel brushed
lamp	30 x halogen lamp 20 W, 30 x G4 socket, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	600 W	2700 K	PO1019	4,033.61 €	
	arms beige, shades ruby red	HAL	TRIAC	600 W	2700 K	PO1020	4,033.61 €	
	arms beige, shades black violet	HAL	TRIAC	600 W	2700 K	PO1021	4,033.61 €	
	arms black, shades ceramic	HAL	TRIAC	600 W	2700 K	PO1004	4,033.61 €	
	arms black, shades ruby red	HAL	TRIAC	600 W	2700 K	PO1005	4,033.61 €	
	arms black, shades black violet	HAL	TRIAC	600 W	2700 K	PO1006	4,033.61 €	

PROPELLER → available Q3 2017

material	canopy and tube: aluminium brushed; wings: fabric cover white made of 80 % polyamide and 20 % elastane stretched over spring wire steel
lamp	halogen lamp 105 W, E27 socket, EEI D (suitable for C to E) or without lamp, not dimmable, E27 socket (suitable for EEI A++ to E)
light	diffuse due to fabric cover
accessory	replacement covers (covers washable up to 30°C)
features	functions controlled via remote control (RC): light on/off or dimming with memory function; motor: (on/off/ change of direction) and speed (6-stage speed control with memory function); rotational speed/power: from approx. 25 RPM (4 W) up to 140 RPM (16 W), 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	length 420 mm	HAL	RC Dim	105 W	2900 K	PR2001	697.48 €	
		without	RC on/off	105 W max.		PR2101	693.28 €	
	length 620 mm	HAL	RC Dim	105 W	2900 K	PR2002	722.69 €	
		without	RC on/off	105 W max.		PR2102	718.49 €	
	length 820 mm	HAL	RC Dim	105 W	2900 K	PR2003	747.90 €	
		without	RC on/off	105 W max.		PR2103	743.70 €	

REEF Suspension 1 (with integrated LED driver)

material	canopy and housing: aluminium polished, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 8,5 W, CRI Ra>90, EEI A+ (suitable for A++ to A)
light	directly downwards, all around diffuse
accessory	canopy profile 2 or 3
features	shade: dishwasher-safe and tool-free mounting; special lengths on request



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED 	TRIAC	8,5 W	2700 K	RF2017	294.12 €	
	brushed	LED 	TRIAC	8,5 W	2700 K	RF2018	294.12 €	
	velour gold	 LED 	TRIAC	8,5 W	2700 K	RF2019	411.76 €	

REEF Suspension 1 (without LED driver)

material	canopy and housing: aluminium polished, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 8,5 W, CRI Ra>90, EEI A+ (suitable for A++ to A) to use with constant current LED driver DC 21 V/350 mA or halogen lamp 48 W, G9 socket, EEI D (suitable for C to E)
light	directly downwards, all around diffuse
accessory	canopy profile 2 or 3
features	shade dishwasher-safe; LED-version shade: tool-free mounting; special lengths and external led drivers on request



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED 		8,5 W max	2700 K	RF2013	235.29 €	
		HAL 	TRIAC	48 W	2700 K	RF1014	201.68 €	
	brushed	LED 		8,5 W max	2700 K	RF2011	235.29 €	
		HAL 	TRIAC	48 W	2700 K	RF1013	201.68 €	
	velour gold	 LED 		8,5 W	2700 K	RF2015	352.94 €	

REEF Suspension 3

- material** canopy and housing: aluminium polished, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
- lamp** 3 x halogen lamp 60 W, 3 x G9 socket, EEI D (suitable for C to E) or 3 x LED High Power 8,5 W, CRI Ra>90, EEI A+ (suitable for A++ to A)
- light** directly downwards, all around diffuse
- features** shade dishwasher-safe; LED-version shade: tool-free mounting; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED	TRIAC	26 W	2700 K	RF2023	882.35 €	
		HAL	TRIAC	180 W	2700 K	RF1005	714.29 €	
	brushed	LED	TRIAC	26 W	2700 K	RF2021	882.35 €	
		HAL	TRIAC	180 W	2700 K	RF1006	714.29 €	
	velour gold	LED	TRIAC	26 W	2700 K	RF2025	1,302.52 €	

REEF Suspension 4

- material** canopy and housing: aluminium polished, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
- lamp** 4 x halogen lamp 60 W, 4 x G9 socket, EEI D (suitable for C to E) or 4 x LED High Power 8,5 W, CRI Ra>90, EEI A+ (suitable for A++ to A)
- light** directly downwards, all around diffuse
- features** shade dishwasher-safe; LED-version shade: tool-free mounting; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	LED	TRIAC	38 W	2700 K	RF2033	1,050.42 €	
		HAL	TRIAC	240 W	2700 K	RF1007	798.32 €	
	brushed	LED	TRIAC	38 W	2700 K	RF2031	1,050.42 €	
		HAL	TRIAC	240 W	2700 K	RF1008	798.32 €	
	velour gold	LED	TRIAC	38 W	2700 K	RF2035	1,596.64 €	

REEF Suspension 5

- material** canopy and housing: aluminium polished or brushed; shade: ceramic foam white
- lamp** 5 x halogen lamp 60 W, 5 x G9 socket, EEI D (suitable for C to E)
- light** directly downwards, all around diffuse
- features** shade dishwasher-safe; special lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	HAL	TRIAC	300 W	2800 K	RF1009	1,554.62 €	
	brushed	HAL	TRIAC	300 W	2800 K	RF1010	1,554.62 €	

SEVENTY SEVEN

material	aluminium silver coated or chrome-plated
lamp	fluorescent lamp 36 W, G13 socket, EEI A (suitable for EEI A+ to E)
light	depending on reflector position directed downwards, sideways or upwards illuminating (max. 330°)
features	special lengths on request; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	silver	FL	integrated	36 W	3000 K	SE1001	495.80 €	
●	chrome-plated	FL	integrated	36 W	3000 K	SE1002	554.62 €	

SLICE Suspension

material	housing: aluminium glossy chrome-plated; canopy and housing: aluminium coated; lamp cover: below prism raster glass, top open
lamp	4 x compact fluorescent lamps TC-L 55 W, 4 x 2G11 socket, EEI A (suitable for A++ to E)
light	beaming freely upwards, downwards directed through prism raster glass (light transmission ~15 %); indirectly reflecting off of ceiling and wall
accessory features	prism raster glass with a modified light transmission value (+/- 10 %) on request control on/off/ dimming via dimmer switch on luminaire's head or optional via integrated sensor (presence and ambient light); remote control for sensor on request; other RAL colours on request; further lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	chrome-plated	FL	integrated	220 W	3000 K	SL1035	823.53 €	
					4000 K	SL1034	823.53 €	
		FL	sensor	220 W	3000 K	SL1040	1,075.63 €	
					4000 K	SL1039	1,075.63 €	

SML T5 Suspension

- material** housing and canopy: aluminium silver anodized; lamp cover: polycarbonat satinée or printed with raster
- lamp** 2 x fluorescent lamp 54 W, 2 x G5 socket, EEI A (suitable for A+ to E)
- features** on/off/dimming via integrated and/or external dimmer switch on request; dimming range from 1-100% including memory function; to use all functions of „corridorFUNCTION“ it is recommended to use a 5-pin wiring; use in DALI-lighting management environment on request; further lengths on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver, satinée/satinée	FL		108 W	3000 K	SM5099	663.87 €	
					4000 K	SM1099	663.87 €	
	silver, raster oben/satinée unten	FL		108 W	3000 K	SM5096	663.87 €	
					4000 K	SM1096	663.87 €	
	silver, satinée oben/raster unten	FL		108 W	3000 K	SM5188	663.87 €	
					4000 K	SM1188	663.87 €	

TWIN

- material** arms and canopy: aluminium glossy chrome-plated or coated black; cable: textile-covered in black; shades: acrylic glass opal white or mouth-blown glass opal white
- lamp** 2 x LED CoB 11,5 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A) or 2 x halogen lamp 60 W, 2 x G9 socket, EEI D (suitable for EEI C to E); LED-module tool-free replaceable on site
- light features** directly downwards, diffuse all around
shade spacing can be set as desired due to its snake fence structure, suitable for ceiling heights up to app




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	black acrylic glass opal	LED	TRIAC	23 W	2700 K	TW1103	983.19 €	
					3000 K	TW1107	983.19 €	
		HAL	TRIAC	120 W	2800 K	TW1003	752.10 €	
	black glass opal	LED	TRIAC	23 W	2700 K	TW1303	1,134.45 €	
					3000 K	TW1307	1,134.45 €	
		HAL	TRIAC	120 W	2800 K	TW1203	907.56 €	
	chrome-plated acrylic glass opal	LED	TRIAC	23 W	2700 K	TW1101	983.19 €	
					3000 K	TW1105	983.19 €	
		HAL	TRIAC	120 W	2800 K	TW1001	752.10 €	
	chrome-plated glass opal	LED	TRIAC	23 W	2700 K	TW1301	1,134.45 €	
					3000 K	TW1305	1,134.45 €	
		HAL	TRIAC	120 W	2800 K	TW1201	907.56 €	

ZOOM 1

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	20 x LED HighPower 1.5 W, EEI A+ (suitable for A++ to A) or 20 x halogen lamp 10 W, 20 x G4 socket, EEI C (suitable for C to E); LED-board change tool-free on site
light	emitting freely, diffuse
accessory	crystal glass pendant
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 900 mm; further lengths on request; 110 V versions on request; DALI-versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	LED ☉	TRIAC	21 W	2700 K	ZO3001	1,084.03 €	
			DALI	19 W	2700 K	ZO3011	1,109.24 €	
		HAL ☹	TRIAC	200 W	2700 K	ZO1001	747.90 €	
●	polished	LED ☉	TRIAC	21 W	2700 K	ZO3004	1,168.07 €	
			DALI	19 W	2700 K	ZO3014	1,193.28 €	
		HAL ☹	TRIAC	200 W	2700 K	ZO1008	831.93 €	

ZOOM 2

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	40 x LED HighPower 1.5 W, EEI A+ (suitable for A++ to A) or 40 x halogen lamp 10 W, 40 x G4 socket, EEI C (suitable for C to E); LED-board change tool-free on site
light	emitting freely, diffuse
accessory	crystal glass pendant
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 900 mm; further lengths on request; 110 V versions on request; DALI-versions are suitable for the use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	LED ☉	TRIAC	42 W	2700 K	ZO3002	2,084.03 €	
			DALI	38 W	2700 K	ZO3012	2,134.45 €	
		HAL ☹	TRIAC	400 W	2700 K	ZO1003	1,411.76 €	
●	polished	LED ☉	TRIAC	42 W	2700 K	ZO3005	2,252.10 €	
			DALI	38 W	2700 K	ZO3015	2,302.52 €	
		HAL ☹	TRIAC	400 W	2700 K	ZO1009	1,579.83 €	

ZOOM 3

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	60 x LED HighPower 1.5 W, EEI A+ (suitable for A++ to E) or 60 x halogen lamp 10 W, 60 x G4 socket, EEI C (suitable for C to E); LED-board change tool-free on site
light	emitting freely, diffuse
accessory	crystal glass pendant
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 900 mm; further lengths on request; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	LED ☉	TRIAC	63 W	2700 K	ZO3003	3,084.03 €	
			DALI	57 W	2700 K	ZO3013	3,159.66 €	
		HAL ☹	TRIAC	600 W	2700 K	ZO1006	2,075.63 €	
●	polished	LED ☉	TRIAC	63 W	2700 K	ZO3010	3,336.13 €	
			DALI	57 W	2700 K	ZO3016	3,411.76 €	
		HAL ☹	TRIAC	600 W	2700 K	ZO1010	2,327.73 €	

ZOOM XL 1

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	20 x halogen lamp 28 W, 20 x E14 socket, EEI D (suitable for C to D)
light	emitting freely, diffuse
accessory	"Zoom Crystal": sparkling crystal chains of lead crystal glass which are hooked into lower snake fence's pivot points
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 1800 mm; further lengths on request; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	HAL	TRIAC	560 W	2700 K	ZO1002	2,277.31 €	
●	polished	HAL	TRIAC	560 W	2700 K	ZO1011	2,806.72 €	

ZOOM XL 2

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	40 x halogen lamp 28 W, 40 x E14 socket, EEI D (suitable for C to D)
light	emitting freely, diffuse
accessory	"Zoom Crystal": sparkling crystal chains of lead crystal glass which are hooked into the lower snake fence's pivot points
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 1800 mm; further lengths on request; 110 V versions on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	HAL	TRIAC	1120 W	2700 K	ZO1004	4,571.43 €	
●	polished	HAL	TRIAC	1120 W	2700 K	ZO1012	5,630.25 €	

ZOOM XL 3

material	canopy: stainless steel brushed or polished; lamellae: brushed or polished stainless steel, translucent white foil
lamp	60 x halogen lamp 28 W, 60 x E14 socket, EEI D (suitable for C to D)
light	emitting freely, diffuse
accessory	"Zoom Crystal": sparkling crystal chains of lead crystal glass which are hooked into the lower snake fence's pivot points
features	diameter continuously adjustable due to its snake fence principle, for maximum diameter minimum suspension is 1800 mm; further lengths on request; 110 V versions on request







figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	HAL	TRIAC	1680 W	2700 K	ZO1005	6,865.55 €	
●	polished	HAL	TRIAC	1680 W	2700 K	ZO1013	8,453.78 €	



APP
p. 40




CLUB
p. 40




LID
p. 41



ONE EIGHTY
p. 42




PAN AM
p. 42




POPPY
p. 43




REEF
p. 45




ROD
p. 45



SML
p. 46



SML T5
p. 47



SML²
p. 48

APP Wall

material	cooling unit: aluminium; housing: transparent polycarbonate; front: Plexiglas® or glass
lamp	LED Mid Power 16 or 23 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); LED unit can be replaced on site; other technical versions (CCT/CRI/power) on request
light	direct upwards and downwards, diffuse to the sides
features	110 V versions on request; DALI and 1–10 V versions are suitable for the use in emergency lighting systems
accessory	mirror adapter set




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	APP base	LED 	TRIAC	16 W	2700 K	AP1001	235.29 €	
					3000 K	AP1002	235.29 €	
		LED 	1–10 V	23 W	2700 K	AP1003	260.50 €	
					3000 K	AP1004	260.50 €	
		LED 	DALI	23 W	2700 K	AP1005	260.50 €	
					3000 K	AP1006	260.50 €	
	front ribbed (0A000 R)					AP1101	50.42 €	
	front pyramid (0A000 Z)					AP1102	50.42 €	
	front honeycomb (0A000 W)					AP1103	50.42 €	
	front cracked Ice (0A000 E)					AP1104	50.42 €	
	front white (WH10 GT)					AP1105	50.42 €	
	front grey (7C14 GT grey)					AP1107	50.42 €	
	front fluorescent green (6C02 GT)					AP1108	50.42 €	
	front genuine glass mirror					AP1106	71.43 €	
	individual foil prints on request					AP1199	on request	

CLUB Wall → available Q2 2017

material	aluminium brushed or black coated; shade: Chintz white or Chintz Creme
lamp	LED lamp 14 W, R7s socket, CRI Ra>80, EEI A+ (suitable for EEI A+ to E)
light	directed upwards and downwards, all around diffuse




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	 LED 	TRIAC	14 W	3000 K	CL1075	201.68 €	
	brushed, shade creme	 LED 	TRIAC	14 W	3000 K	CL1072	201.68 €	
	black, shade white	 LED 	TRIAC	14 W	3000 K	CL1065	201.68 €	
	black, shade creme	 LED 	TRIAC	14 W	3000 K	CL1077	201.68 €	

LID Wall → available Q1 2017

material	cooling unit: aluminium; housing: transparent polycarbonate; front: aluminium or glass
lamp	LED Mid Power 16 or 23 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); LED unit can be replaced on site; other technical versions (CCT/CRI/power) on request
light	smoothly all around to the sides
features	110 V versions on request; DALI and 1–10 V versions are suitable for the use in emergency lighting systems
accessory	mirror adapter set




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	LID base	LED	TRIAC	16 W	2700 K	LD1001	243.70 €	
					3000 K	LD1002	243.70 €	
		LED	1–10 V	23 W	2700 K	LD1003	268.91 €	
					3000 K	LD1004	268.91 €	
		LED	DALI	23 W	2700 K	LD1005	268.91 €	
					3000 K	LD1006	268.91 €	
	front champagne anodized					LD1103	75.63 €	
	front silver anodized					LD1104	75.63 €	
	front genuine glass opal					LD1101	100.84 €	
	front genuine glass mirror					LD1102	100.84 €	

ONE EIGHTY Wall S → available Q2 2017

material	shade and wall mount: aluminium brushed with protective coating or coated white or black; decorative rings, rotation and tilt joint: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 9,5 W, GU10 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to E) or delivery without lamp; socket: GU10 (suitable for EEL A+ to E)
light features	directed forwards, shielded to the sides shade can be rotated by 350° and be tilted by 270° to the sides; luminaire can also be mounted on ceiling




figure	description		power	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED TRIAC	9.5 W 2700 K	OE1113	285.71 €	
		without	60 W max.	OE1013	252.10 €	
●	black	new LED TRIAC	9.5 W 2700 K	OE1125	285.71 €	
		without	60 W max.	OE1025	252.10 €	
○	white	new LED TRIAC	9.5 W 2700 K	OE1114	285.71 €	
		without	60 W max.	OE1014	252.10 €	

ONE EIGHTY Wall L → available Q2 2017

material	shade and wall mount: aluminium brushed with protective coating or coated white or black; decorative rings, rotation and tilt joint: steel nickel-plated
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to E) or delivery without lamp; socket: E27 (suitable for EEL A++ to E)
light accessory features	directed forwards, shielded to the sides cover plate included with delivery shade can be rotated by 350° and be tilted by 270° to the sides; luminaire can also be mounted on ceiling




figure	description		power	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED TRIAC	18.5 W 2700 K	OE1115	352.94 €	
		without	100 W max.	OE1015	294.12 €	
●	black	new LED TRIAC	18.5 W 2700 K	OE1126	352.94 €	
		without	100 W max.	OE1026	294.12 €	
○	white	new LED TRIAC	18.5 W 2700 K	OE1116	352.94 €	
		without	100 W max.	OE1016	294.12 €	

PAN AM Wall → available Q2 2017

material	aluminium brushed with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEL A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEL A++ to E)
light features	directly forward, shielded to the sides and rearwards shade can be rotated by 350° and tilted by 270° to the sides; luminaire can also be mounted on ceiling




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED	TRIAC	18,5 W	2700 K	PA3031	470.59 €	
		without		150 W max.		PA1031	411.76 €	

POPPY Wall 1

material	arm: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	halogen lamp 35 W, 12 V, G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arm beige, shade ceramic	HAL	TRIAC	35 W	2700 K	PO1028	327.73 €	
	arm beige, shade ruby red	HAL	TRIAC	35 W	2700 K	PO1029	327.73 €	
	arm beige, shade black violet	HAL	TRIAC	35 W	2700 K	PO1030	327.73 €	
	arm black, shade ceramic	HAL	TRIAC	35 W	2700 K	PO1025	327.73 €	
	arm black, shade ruby red	HAL	TRIAC	35 W	2700 K	PO1026	327.73 €	
	arm black, shade black violet	HAL	TRIAC	35 W	2700 K	PO1027	327.73 €	

POPPY Wall 2

material	2 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	2 x halogen lamp 35 W, 12 V, 2 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	70 W	2700 K	PO1034	411.76 €	
	arms beige, shades ruby red	HAL	TRIAC	70 W	2700 K	PO1035	411.76 €	
	arms beige, shades black violet	HAL	TRIAC	70 W	2700 K	PO1036	411.76 €	
	arms black, shades ceramic	HAL	TRIAC	70 W	2700 K	PO1031	411.76 €	
	arms black, shades ruby red	HAL	TRIAC	70 W	2700 K	PO1032	411.76 €	
	arms black, shades black violet	HAL	TRIAC	70 W	2700 K	PO1033	411.76 €	

POPPY Wall 3

material	3 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	3 x halogen lamp 35 W, 12 V, 3 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shade ceramic	HAL	TRIAC	105 W	2700 K	PO1040	495.80 €	
	arms beige, shade ruby red	HAL	TRIAC	105 W	2700 K	PO1041	495.80 €	
	arms beige, shade black violet	HAL	TRIAC	105 W	2700 K	PO1042	495.80 €	
	arms black, shade ceramic	HAL	TRIAC	105 W	2700 K	PO1037	495.80 €	
	arms black, shade ruby red	HAL	TRIAC	105 W	2700 K	PO1038	495.80 €	
	arms black, shade black violet	HAL	TRIAC	105 W	2700 K	PO1039	495.80 €	

POPPY Wall 5

material	5 arms: flexible, textile coated aluminium tubes in beige or black, length 75 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, polished
lamp	5 x halogen lamp 20 W, 12 V, 5 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; luminaire can also be mounted as wall luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	TRIAC	100 W	2700 K	PO1046	663.87 €	
	arms beige, shades ruby red	HAL	TRIAC	100 W	2700 K	PO1047	663.87 €	
	arms beige, shades black violet	HAL	TRIAC	100 W	2700 K	PO1048	663.87 €	
	arms black, shades ceramic	HAL	TRIAC	100 W	2700 K	PO1043	663.87 €	
	arms black, shades ruby red	HAL	TRIAC	100 W	2700 K	PO1044	663.87 €	
	arms black, shades black violet	HAL	TRIAC	100 W	2700 K	PO1045	663.87 €	

POPPY Wall 15

material	15 arms: flexible, textile coated aluminium tubes in beige or black, length 75 or 150 cm; glass shades: mouth-blown glass black violet, ruby red or ceramic; lamellae: bimetal; canopy: stainless steel, brushed
lamp	15 x halogen lamp 20 W, 12 V, 15 x G4 socket, 12 V, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige 75 cm, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1013	1,504.20 €	
	arms beige 75 cm, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1014	1,504.20 €	
	arms beige 75 cm, shades black violet	HAL	TRIAC	300 W	2700 K	PO1015	1,504.20 €	
	arms black 75 cm, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1007	1,504.20 €	
	arms black 75 cm, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1008	1,504.20 €	
	arms black 75 cm, shades black violet	HAL	TRIAC	300 W	2700 K	PO1009	1,504.20 €	
	arms beige 150 cm, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1016	1,672.27 €	
	arms beige 150 cm, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1017	1,672.27 €	
	arms beige 150 cm, shades black violet	HAL	TRIAC	300 W	2700 K	PO1018	1,672.27 €	
	arms black 150 cm, shades ceramic	HAL	TRIAC	300 W	2700 K	PO1010	1,672.27 €	
	arms black 150 cm, shades ruby red	HAL	TRIAC	300 W	2700 K	PO1011	1,672.27 €	
	arms black 150 cm, shades black violet	HAL	TRIAC	300 W	2700 K	PO1012	1,672.27 €	

REEF Wall

material	housing: aluminium polished, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 10 W, CRI Ra>90, EEI A+ (suitable for A++ to A) or halogen lamp 48 W, G9 Fasg., EEI D (suitable for C to E)
light	directly downwards, all around decorative
features	shade dishwasher-safe; LED-version shade: tool-free mounting




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	LED	TRIAC	10 W	2700 K	RF2057	285.71 €	
		HAL	TRIAC	48 W	2700 K	RF1002	218.49 €	
	polished	LED	TRIAC	10 W	2700 K	RF2058	285.71 €	
		HAL	TRIAC	48 W	2700 K	RF1001	218.49 €	
	velour gold	LED	TRIAC	10 W	2700 K	RF2059	369.75 €	

ROD Wall → available Q4 2017

material	glass: borosilicate glass tube; body cover: aluminium polished or acryl satinée opal; body: aluminium glass-bead blasted
lamp	LED Mid Power 28 W, CRI Ra>90, R9>50, EEI A+ (suitable for A to A+ +); LED unit change tool-free on site; other technical versions (CCT/CRI/power) on request
light	directed upwards and downwards, forwards diffuse or shielded
features	power adjustable separately for up- and downlight in 2 channel versions (2ch) by micro-switch




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	opal	LED	TRIAC	28 W	2700 K	RD1001	403.36 €	
			DALI 2ch	28 W	2700 K	RD1003	453.78 €	
			TRIAC 2ch	28 W	2700 K	RD1005	487.39 €	
	polished	LED	TRIAC	28 W	2700 K	RD1002	403.36 €	
			DALI 2ch	28 W	2700 K	RD1004	453.78 €	
			TRIAC 2ch	28 W	2700 K	RD1006	487.39 €	

SML Wall S

material	housing: aluminium anodized silver or glossy chrome-plated; lamp covers: ceramic glass satinée or printed with raster
lamp	halogen lamp 60 W, G9 socket, EEI D (suitable for D to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, wall reflector, mirror adapter



figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver, satinée/satinée	HAL	TRIAC	60 W	2800 K	SM1172	201.68 €	
	silver, satinée/raster	HAL	TRIAC	60 W	2800 K	SM1199	201.68 €	
	chrome-plated, satinée/satinée	HAL	TRIAC	60 W	2800 K	SM3172	226.89 €	
	chrome-plated, satinée/raster	HAL	TRIAC	60 W	2800 K	SM3199	226.89 €	

SML Wall M

material	housing: aluminium anodized silver or glossy chrome-plated; lamp covers: ceramic glass satinée or printed with raster
lamp	halogen lamp 120 W, R7s socket, EEI D (suitable for EEI D to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, wall reflector, mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver, satinée/satinée	HAL	TRIAC	120 W	2900 K	SM1173	218.49 €	
	silver, satinée/raster	HAL	TRIAC	120 W	2900 K	SM1198	218.49 €	
	chrome-plated, satinée/satinée	HAL	TRIAC	120 W	2900 K	SM3173	243.70 €	
	chrome-plated, satinée/raster	HAL	TRIAC	120 W	2900 K	SM3177	243.70 €	

SML Wall L

material	housing: aluminium anodized silver or glossy chrome-plated; lamp covers: ceramic glass satinée or printed with raster
lamp	halogen lamp 160 W, R7s socket, EEI D (suitable for EEI D to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, wall reflector, mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver, satinée/satinée	HAL	TRIAC	160 W	3000 K	SM1174	235.29 €	
	silver, satinée/raster	HAL	TRIAC	160 W	3000 K	SM1175	235.29 €	
	chrome-plated, satinée/satinée	HAL	TRIAC	160 W	3000 K	SM3174	264.71 €	
	chrome-plated, satinée/raster	HAL	TRIAC	160 W	3000 K	SM3176	264.71 €	

SML T5 Wall S

material	housing: aluminium silver anodized or glossy chrome-plated; lamp cover: polycarbonate satinée or printed with raster
lamp	fluorescent lamp 24 W, G5 socket, EEI A (suitable for A+ to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	FL	DALI	24 W	3000 K	SM5063	327.73 €	
					4000 K	SM1063	327.73 €	
	silver satinée/raster	FL	DALI	24 W	3000 K	SM5066	327.73 €	
					4000 K	SM1066	327.73 €	
	chrome-plated satinée/satinée	FL	DALI	24 W	3000 K	SM7063	378.15 €	
					4000 K	SM3063	378.15 €	
	chrome-plated satinée/raster	FL	DALI	24 W	3000 K	SM7066	378.15 €	
					4000 K	SM3066	378.15 €	

SML T5 Wall M

material	housing: aluminium silver anodized or glossy chrome-plated; lamp cover: polycarbonate satinée or printed with raster
lamp	fluorescent lamp 39 W, G5 socket, EEI A (suitable for A+ to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	FL	DALI	39 W	3000 K	SM5064	378.15 €	
					4000 K	SM1064	378.15 €	
	silver satinée/raster	FL	DALI	39 W	3000 K	SM5067	378.15 €	
					4000 K	SM1067	378.15 €	
	chrome-plated satinée/satinée	FL	DALI	39 W	3000 K	SM7064	428.57 €	
					4000 K	SM3064	428.57 €	
	chrome-plated satinée/raster	FL	DALI	39 W	3000 K	SM7067	428.57 €	
					4000 K	SM3067	428.57 €	

SML T5 Wall L

material	housing: aluminium silver anodized or glossy chrome-plated; lamp cover: polycarbonate satinée or printed with raster
lamp	fluorescent lamp 54 W, G5 socket, EEI A (suitable for A+ to E)
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	FL	DALI	54 W	3000 K	SM5065	411.76 €	
					4000 K	SM1065	411.76 €	
	silver satinée/raster	FL	DALI	54 W	3000 K	SM5051	411.76 €	
					4000 K	SM1051	411.76 €	
	chrome-plated satinée/satinée	FL	DALI	54 W	3000 K	SM7065	478.99 €	
					4000 K	SM3065	478.99 €	
	chrome-plated satinée/raster	FL	DALI	54 W	3000 K	SM7051	478.99 €	
					4000 K	SM3051	478.99 €	

SML² Wall 150

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 10 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	on/off	10 W	2700 K	SM1325	327.73 €	
					3000 K	SM1227	327.73 €	
	silver satinée/raster	LED	on/off	10 W	2700 K	SM1326	327.73 €	
					3000 K	SM1228	327.73 €	
	white satinée/satinée	LED	on/off	10 W	2700 K	SM1327	327.73 €	
					3000 K	SM1229	327.73 €	
	white satinée/raster	LED	on/off	10 W	2700 K	SM1328	327.73 €	
					3000 K	SM1230	327.73 €	
	black satinée/satinée	LED	on/off	10 W	2700 K	SM1329	327.73 €	
					3000 K	SM1231	327.73 €	
	black satinée/raster	LED	on/off	10 W	2700 K	SM1330	327.73 €	
					3000 K	SM1232	327.73 €	
	polished satinée/satinée	LED	on/off	10 W	2700 K	SM1331	369.75 €	
					3000 K	SM1233	369.75 €	
	polished satinée/raster	LED	on/off	10 W	2700 K	SM1332	369.75 €	
					3000 K	SM1234	369.75 €	

SML² Wall 220

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 15 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	TRIAC	15 W	2700 K	SM1333	411.76 €	
					3000 K	SM1235	411.76 €	
	silver satinée/raster	LED	TRIAC	15 W	2700 K	SM1334	411.76 €	
					3000 K	SM1236	411.76 €	
	white satinée/satinée	LED	TRIAC	15 W	2700 K	SM1335	411.76 €	
					3000 K	SM1237	411.76 €	
	white satinée/raster	LED	TRIAC	15 W	2700 K	SM1336	411.76 €	
					3000 K	SM1238	411.76 €	
	black satinée/satinée	LED	TRIAC	15 W	2700 K	SM1337	411.76 €	
					3000 K	SM1239	411.76 €	
	black satinée/raster	LED	TRIAC	15 W	2700 K	SM1338	411.76 €	
					3000 K	SM1240	411.76 €	
	polished satinée/satinée	LED	TRIAC	15 W	2700 K	SM1339	453.78 €	
					3000 K	SM1241	453.78 €	
	polished satinée/raster	LED	TRIAC	15 W	2700 K	SM1340	453.78 €	
					3000 K	SM1242	453.78 €	

SML² Wall 300

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 20 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	cover plate, mirror adapter




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	TRIAC	20 W	2700 K	SM1341	495.80 €	
					3000 K	SM1243	495.80 €	
	silver satinée/raster	LED	TRIAC	20 W	2700 K	SM1342	495.80 €	
					3000 K	SM1244	495.80 €	
	white satinée/satinée	LED	TRIAC	20 W	2700 K	SM1343	495.80 €	
					3000 K	SM1245	495.80 €	
	white satinée/raster	LED	TRIAC	20 W	2700 K	SM1344	495.80 €	
					3000 K	SM1246	495.80 €	
	black satinée/satinée	LED	TRIAC	20 W	2700 K	SM1345	495.80 €	
					3000 K	SM1247	495.80 €	
	black satinée/raster	LED	TRIAC	20 W	2700 K	SM1346	495.80 €	
					3000 K	SM1248	495.80 €	
	polished satinée/satinée	LED	TRIAC	20 W	2700 K	SM1347	537.82 €	
					3000 K	SM1249	537.82 €	
	polished satinée/raster	LED	TRIAC	20 W	2700 K	SM1348	537.82 €	
					3000 K	SM1250	537.82 €	

SML² Wall 600

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 20 W, CRI Ra>90, R9>50, EEI A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory	mirror adapter
features	suitable for use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	DALI	20 W	2700 K	SM1349	579.83 €	
					3000 K	SM1251	579.83 €	
	silver satinée/raster	LED	DALI	20 W	2700 K	SM1350	579.83 €	
					3000 K	SM1252	579.83 €	
	white satinée/satinée	LED	DALI	20 W	2700 K	SM1351	579.83 €	
					3000 K	SM1253	579.83 €	
	white satinée/raster	LED	DALI	20 W	2700 K	SM1352	579.83 €	
					3000 K	SM1254	579.83 €	
	black satinée/satinée	LED	DALI	20 W	2700 K	SM1353	579.83 €	
					3000 K	SM1255	579.83 €	
	black satinée/raster	LED	DALI	20 W	2700 K	SM1354	579.83 €	
					3000 K	SM1256	579.83 €	
	polished satinée/satinée	LED	DALI	20 W	2700 K	SM1355	621.85 €	
					3000 K	SM1257	621.85 €	
	polished satinée/raster	LED	DALI	20 W	2700 K	SM1356	621.85 €	
					3000 K	SM1258	621.85 €	

SML² Wall 900

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 30 W, CRI Ra>90, R9>50, EEL A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory features	mirror adapter suitable for use in emergency lighting systems




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	DALI	30 W	2700 K	SM1357	630.25 €	
					3000 K	SM1259	630.25 €	
	silver satinée/raster	LED	DALI	30 W	2700 K	SM1358	630.25 €	
					3000 K	SM1260	630.25 €	
	white satinée/satinée	LED	DALI	30 W	2700 K	SM1359	630.25 €	
					3000 K	SM1261	630.25 €	
	white satinée/raster	LED	DALI	30 W	2700 K	SM1360	630.25 €	
					3000 K	SM1262	630.25 €	
	black satinée/satinée	LED	DALI	30 W	2700 K	SM1361	630.25 €	
					3000 K	SM1263	630.25 €	
	black satinée/raster	LED	DALI	30 W	2700 K	SM1362	630.25 €	
					3000 K	SM1264	630.25 €	
	polished satinée/satinée	LED	DALI	30 W	2700 K	SM1363	663.87 €	
					3000 K	SM1265	663.87 €	
	polished satinée/raster	LED	DALI	30 W	2700 K	SM1364	663.87 €	
					3000 K	SM1266	663.87 €	

SML² Wall 1200

material	housing: aluminium polished or coated black, silver or white; lamp cover: polycarbonate satinée or printed with raster
lamp	LED Mid Power 40 W, CRI Ra>90, R9>50, EEL A+ (suitable for A++ to A); other technical versions (CCT/CRI/power) on request; LED unit changeable on site
light	depending on chosen bulb cover scattered symmetrically up and down, scattered upward dimmed down or dimmed up and scattered down
accessory features	mirror adapter suitable for use in emergency lighting systems






figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver satinée/satinée	LED	DALI	40 W	2700 K	SM1365	714.29 €	
					3000 K	SM1267	714.29 €	
	silver satinée/raster	LED	DALI	40 W	2700 K	SM1366	714.29 €	
					3000 K	SM1268	714.29 €	
	white satinée/satinée	LED	DALI	40 W	2700 K	SM1367	714.29 €	
					3000 K	SM1269	714.29 €	
	white satinée/raster	LED	DALI	40 W	2700 K	SM1368	714.29 €	
					3000 K	SM1270	714.29 €	
	black satinée/satinée	LED	DALI	40 W	2700 K	SM1369	714.29 €	
					3000 K	SM1271	714.29 €	
	black satinée/raster	LED	DALI	40 W	2700 K	SM1370	714.29 €	
					3000 K	SM1272	714.29 €	
	polished satinée/satinée	LED	DALI	40 W	2700 K	SM1371	747.90 €	
					3000 K	SM1273	747.90 €	
	polished satinée/raster	LED	DALI	40 W	2700 K	SM1372	747.90 €	
					3000 K	SM1274	747.90 €	




CLUB
p. 54



ELANE
p. 55




JOB
p. 56




PAN AM
p. 57




POPPY
p. 57



REEF
p. 57



SLANT
p. 58



SLICE
p. 58

CLUB Table S

material	base and lamp arm: aluminium brushed or coated black; shade: chintz in white or cream
lamp	halogen lamp 57 W, E27 socket, EEI D (suitable for C to E) and 2 x halogen lamp 20 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	control on/off/dimming via buttons on shade; cable rewind in base, easily exchangeable shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	97 W	2800 K	CL1051	369.75 €	
	brushed, shade creme	HAL	integrated	97 W	2800 K	CL1052	369.75 €	
	black, shade white	HAL	integrated	97 W	2800 K	CL1054	369.75 €	
	black, shade creme	HAL	integrated	97 W	2800 K	CL1053	369.75 €	

CLUB Table M

material	base and lamp arm: aluminium brushed or coated black; shade: chintz in white or cream
lamp	halogen lamp 77 W, E27 socket, EEI D (suitable for C to E) and 2 x halogen lamp 30 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	control on/off/dimming via buttons on shade; cable rewind in base, easily exchangeable shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	137 W	2800 K	CL1069	394.96 €	
	brushed, shade creme	HAL	integrated	137 W	2800 K	CL1070	394.96 €	
	black, shade white	HAL	integrated	137 W	2800 K	CL1068	394.96 €	
	black, shade creme	HAL	integrated	137 W	2800 K	CL1071	394.96 €	

CLUB Table L

material	base and lamp arm: aluminium brushed or coated black; shade: chintz in white or cream
lamp	halogen lamp 77 W, E27 socket, EEI D (suitable for C to E) and 2 x halogen lamp 30 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	control on/off/dimming via buttons on shade; cable rewind in base, easily exchangeable shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	137 W	2800 K	CL1039	394.96 €	
	brushed, shade creme	HAL	integrated	137 W	2800 K	CL1040	394.96 €	
	black, shade white	HAL	integrated	137 W	2800 K	CL1042	394.96 €	
	black, shade creme	HAL	integrated	137 W	2800 K	CL1041	394.96 €	

ELANE Table Short

- material

shade: fabric covered foil white;
lamp arm: aluminium coated silver or black satin finish;
base: steel coated silver or black satin finish
- lamp

halogen lamp 50 W, GY 6.35 socket, EEL C (suitable for B to E)
- light

directed upwards and downwards, diffuse all around through shade
- features

control: on/off on luminaire head, dimming by switch on base;
illuminant diffusor unmountable




figure	description		lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver		HAL 	integrated	50 W	2800 K	EL1003	411.76 €	
	black		HAL 	integrated	50 W	2800 K	EL1004	411.76 €	

ELANE Table Long

- material

shade: fabric covered foil white;
lamp arm: aluminium coated silver or black satin finish;
base: steel coated silver or black satin finish
- lamp

halogen lamp 50 W, GY 6.35 socket, EEL C (suitable for B to E)
- light

directed upwards and downwards, diffuse all around through shade
- features

control: on/off on luminaire head, dimming by switch on base;
illuminant diffusor unmountable




figure	description		lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	silver		HAL 	integrated	50 W	2800 K	EL1005	495.80 €	
	black		HAL 	integrated	50 W	2800 K	EL1006	495.80 €	

JOB Table → available Q2 2017

material	base: stainless steel polished, real leather beneath;
lamp	tube and shade: borosilicate glass and stainless steel polished LED lamp 11,5 W, E27 socket, EEI A+ (suitable for A++ to E) or without lamp (suitable for A++ to E)
light	directly, shielded to the sides
features	control: on/off/dimming via button on luminaire's head




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	new LED	integrated	11,5 W	2700 K	JB1013	941.18 €	
		without		100 W max.		JB1004	924.37 €	

JOB Table Clamp → available Q2 2017

material	table-clamp: stainless steel polished, real leather beneath;
lamp	tube and shade: borosilicate glass and stainless steel polished LED lamp 11,5 W, E27 socket, EEI A+ (suitable for A++ to E) or without lamp (suitable for A++ to E)
light	directly, shielded to the sides
features	control: on/off/dimming via button on luminaire's head




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	new LED	integrated	11,5 W	2700 K	JB1014	823.53 €	
		without		100 W max.		JB1005	806.72 €	

JOB Table Furniture → available Q2 2017

material	furniture adapter: stainless steel polished;
lamp	tube and shade: borosilicate glass and stainless steel polished LED lamp 11,5 W, E27 socket, EEI A+ (suitable for A++ to E) or without lamp (suitable for A++ to E)
light	directly, shielded to the sides
features	control: on/off/dimming via button on luminaire's head




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	new LED	integrated	11,5 W	2700 K	JB1015	747.90 €	
		without		100 W max.		JB1006	731.09 €	

JOB Table with adapter for USM Haller table systems → available Q2 2017

material	adapter: stainless steel polished;
lamp	tube and shade: borosilicate glass and stainless steel polished LED lamp 11,5 W, E27 socket, EEI A+ (suitable for A++ to E) or without lamp (suitable for A++ to E)
light	directly, shielded to the sides
features	control: on/off/dimming via button on luminaire's head




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	polished	new LED	integrated	11,5 W	2700 K	JB1016	747.90 €	
		without		100 W max.		JB1011	731.09 €	

PAN AM Base → available Q2 2017

material	brushed aluminium with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light features	directly forward, shielded to the sides and rearwards shade can be rotated by 350° and tilted by 270° to the sides; control: on/off/dimming via cord integrated dimmer




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED 	integrated	18,5 W	2700 K	PA3021	546.22 €	
		without		150 W max.		PA1021	487.39 €	

POPPY Table

material	arm: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass ceramic, black violet or ruby red; lamellae: bimetal; base: stainless steel, polished
lamp	halogen 35 W, G4 socket, EEI C (suitable for B to E)
light features	directed forwards, decorative lamellae open within approx. 2 minutes after switching on luminaire




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	arm beige, shade ceramic	HAL 	on/off	35 W	2700 K	PO1022	302.52 €	
●	arm beige, shade ruby red	HAL 	on/off	35 W	2700 K	PO1023	302.52 €	
●	arm beige, shade black violet	HAL 	on/off	35 W	2700 K	PO1024	302.52 €	
●	arm black, shade ceramic	HAL 	on/off	35 W	2700 K	PO1001	302.52 €	
●	arm black, shade ruby red	HAL 	on/off	35 W	2700 K	PO1002	302.52 €	
●	arm black, shade black violet	HAL 	on/off	35 W	2700 K	PO1003	302.52 €	

REEF Table

material	housing: aluminium chrome-plated, brushed or velour gold (galvanic gold coating 24 carat); shade: ceramic foam white
lamp	LED High Power 11,5 W, CRI Ra>90, EEI A+ (suitable for A++ to A) or halogen 48 W, G9 socket, EEI D (suitable for C to E)
light features	directly downwards, diffuse all around shade dishwasher-safe; LED-version shade: tool-free mounting




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	LED 	on/off	11,5 W	2700 K	RF2041	327.73 €	
		HAL 	on/off	48 W	2700 K	RF1015	277.31 €	
●	chrome-plated	LED 	on/off	11,5 W	2700 K	RF2042	403.36 €	
		HAL 	on/off	48 W	2700 K	RF1016	352.94 €	
●	velour gold	few LED 	on/off	11,5 W	2700 K	RF2043	495.80 €	

SLANT Table

material	tubes: stainless steel or coated black or white; shade: textile laminated white, with patterns in black-white or red-white
lamp	delivery without lamp; socket: G9 (suitable for EEI A++ to E)
light	directed upwards and downwards, diffuse all around through shade
features	luminaire and shade tiltable on two sides, shade additional turnable; control: on/off/dimming via button in connection cable




figure	description	lamp	control	power	art.-no.	€ excl. VAT	€ incl. VAT
	black, shade black-white	FL	without	integrated	60 W max.	ST1001	176.47 €
	black, shade red-white	FL	without	integrated	60 W max.	ST1002	176.47 €
	black, shade white	FL	without	integrated	60 W max.	ST1003	176.47 €
	white, shade black-white	FL	without	integrated	60 W max.	ST1004	176.47 €
	white, shade red-white	FL	without	integrated	60 W max.	ST1005	176.47 €
	white, shade white	FL	without	integrated	60 W max.	ST1006	176.47 €
	stainless steel, shade black-white	FL	without	integrated	60 W max.	ST1007	201.68 €
	stainless steel, shade red-white	FL	without	integrated	60 W max.	ST1008	201.68 €
	stainless steel, shade white	FL	without	integrated	60 W max.	ST1009	201.68 €

SLICE Furniture

material	aluminium chrome-plated, lamp cover: below prism pattern glass
lamp	2 x compact fluorescent lamps TC-L 80 W, 2 x 2 G11 socket, EEI A (suitable for A++ to A)
light	beaming freely upwards, downwards directed through prism pattern glass
accessory	remote control for sensor on request
features	control: on/off/dimming with a touch dimmer at luminaire head or due to an integrated sensor (presence and ambient light dependent); LED version on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	chrome-plated	FL	integrated	160 W	3000 K	SL1012	672.27 €	
					4000 K	SL1010	672.27 €	
		FL	sensor	160 W	3000 K	SL1016	924.36 €	
					4000 K	SL1014	924.36 €	

SLICE with Adapter for USM Haller table systems

material	aluminium chrome-plated, lamp cover: below prism pattern glass
lamp	2 x compact fluorescent lamps TC-L 80 W, 2 x 2 G11 socket, EEI A (suitable for A++ to A)
light	beaming freely upwards, downwards directed through prism pattern glass
accessory	remote control for sensor on request
features	control: on/off/dimming with a touch dimmer at luminaire head or due to an integrated sensor (presence and ambient light dependent); LED version on request




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	chrome-plated	FL	integrated	160 W	3000 K	SL1021	672.27 €	
					4000 K	SL1019	672.27 €	
		FL	sensor	160 W	3000 K	SL1025	924.36 €	
					4000 K	SL1013	924.36 €	


Floor




CLUB
p. 62



CENTRAL
p. 63




ELANE
p. 63



GENTLE
p. 63




JONES
p. 64




PAN AM
p. 65



POPPY
p. 66



SLANT
p. 67



SLICE
p. 68

CLUB Floor S

material	base and lamp tube: aluminium brushed or coated black; shade: chintz in white or cream
lamp	above 1 x halogen lamp 57 W, E27 socket, EEI D (suitable for C to E), below 2 x halogen lamp 20 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	cable rewind in base; easily exchangeable shade; control: on/off/dimming via buttons on shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	97 W	2800 K	CL1027	630.25 €	
	brushed, shade creme	HAL	integrated	97 W	2800 K	CL1028	630.25 €	
	black, shade white	HAL	integrated	97 W	2800 K	CL1030	630.25 €	
	black, shade creme	HAL	integrated	97 W	2800 K	CL1029	630.25 €	

CLUB Floor M

material	base and lamp tube: aluminium brushed or coated black; shade: chintz in white or cream
lamp	above 1 x halogen lamp 77 W, E27 socket, EEI D (suitable for C to E), below 2 x halogen lamp 30 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	cable rewind in base; easily exchangeable shade; control: on/off/dimming via buttons on shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	137 W	2900 K	CL1033	655.46 €	
	brushed, shade creme	HAL	integrated	137 W	2900 K	CL1034	655.46 €	
	black, shade white	HAL	integrated	137 W	2900 K	CL1036	655.46 €	
	black, shade creme	HAL	integrated	137 W	2900 K	CL1035	655.46 €	

CLUB Floor L

material	base and lamp tube: aluminium brushed or coated black; shade: chintz in white or cream
lamp	above 1 x halogen lamp 77 W, E27 socket, EEI D (suitable for C to E), below 2 x halogen lamp 30 W, 2 x E14 socket, EEI D (suitable for C to E)
light	directed upwards and downwards, diffuse all around
features	cable rewind in base; easily exchangeable shade; control: on/off/dimming via buttons on shade




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade white	HAL	integrated	137 W	2900 K	CL1021	655.46 €	
	brushed, shade creme	HAL	integrated	137 W	2900 K	CL1022	655.46 €	
	black, shade white	HAL	integrated	137 W	2900 K	CL1024	655.46 €	
	black, shade creme	HAL	integrated	137 W	2900 K	CL1023	655.46 €	

CENTRAL Floor

material	base: steel black satin finish, white satin finish or pearl grey satin finish coated; shade: aluminium black satin finish, white satin finish or pearl grey satin finish coated; lamp arm: stainless steel brushed
lamp	LED CoB 37,5 W, LED-Holder: Zhaga compatible, CRI Ra>90, EEI A+ (suitable for A++ to A); LED unit changeable on site
light	directed downwards, decorative light groove in shade
features	control: integrated gesture sensor with dimming function (not compatible with external dimmers)




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	black	LED	sensor	37,5 W	2700 K	CE1011	1,974.79 €	
○	white	LED	sensor	37,5 W	2700 K	CE1012	1,974.79 €	
●	pearl grey	LED	sensor	37,5 W	2700 K	CE1013	2,134.45 €	

ELANE Floor

material	shade: fabric covered foil white; lamp arm: aluminium coated silver or black; base: steel coated silver or black satin finish
lamp	halogen lamp 50 W, GY 6.35 socket, EEI C (suitable for B to E)
light	directed upwards and downwards, diffuse all around
features	control: on/off on luminaire head, dimming via switch on base




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	silver	few HAL	integrated	50 W	2800 K	EL1007	411.76 €	
●	black	few HAL	integrated	50 W	2800 K	EL1008	411.76 €	

GENTLE Floor

material	base and tube: stainless steel brushed; cover: smocked wild silk; shade: polyethylene white opal
lamp	LED lamp 18 W, E27 socket, EEI A (suitable for A++ to E) or halogen lamp 150 W, E27 socket, EEI D (suitable for C to E)
light	directly upwards and downwards, diffuse to the sides through shade
accessory	cover removable and washable
features	control: on/off/dimming via button in tube




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	few LED	integrated	18 W	2700 K	GE1003	1,117.65 €	
		few HAL	TRIAC	150 W	2900 K	GE1001	1,075.63 €	

JONES Floor S

material	shade: glass fabric laminated white; round tube and base: aluminium brushed with protective coating; square tube: aluminium chrome-plated; glass insert: borosilicate glass, yellow or orange
lamp	LED 4 x CoB 9,5 W, CRI Ra>95, R9>50, EEL A+ (suitable for A++ to A) or halogen lamp 205 W, E27 socket, EEL D (suitable for C to E); LED unit changeable tool-free
light	infinitely adjustable: reading light, directed downwards; decorative light, directed downwards and upwards, diffuse all around (coloured due to the glass insert); indirect light, directed upwards
accessory features	glass colour filter: orange and yellow (exchangeable tool-free) on/off/dimming with button at round tube




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	colour filter yellow	LED 	integrated	38 W	2700 K	JO3005	1,411.76 €	
		HAL 	integrated	205 W	3000 K	JO1009	1,159.66 €	
	colour filter orange	LED 	integrated	38 W	2700 K	JO3006	1,411.76 €	
		HAL 	integrated	205 W	3000 K	JO1010	1,159.66 €	

JONES Floor L

material	shade: glass fabric laminated white; round tube and base: aluminium brushed with protective coating; square tube: aluminium chrome-plated; glass insert: borosilicate glass, yellow or orange
lamp	LED 4 x CoB 9,5 W, CRI Ra>95, R9>50, EEL A+ (suitable for A++ to A) or halogen lamp 205 W, E27 socket, EEL D (suitable for C to E); LED unit changeable tool-free
light	infinitely adjustable: reading light, directed downwards; decorative light, directed downwards and upwards, diffuse all around (coloured due to the glass insert); indirect light, directed upwards
accessory features	glass colour filter: orange and yellow (exchangeable tool-free) on/off/dimming with button at round tube




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	colour filter yellow	LED 	integrated	38 W	2700 K	JO3002	1,495.80 €	
		HAL 	integrated	205 W	3000 K	JO1006	1,243.70 €	
	colour filter orange	LED 	integrated	38 W	2700 K	JO3003	1,495.80 €	
		HAL 	integrated	205 W	3000 K	JO1007	1,243.70 €	

PAN AM Floor → available Q2 2017

material	brushed aluminium with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light	directly forward, shielded to the sides and rearwards
features	shade can be rotated by 350° and tilted by 270° to the sides; control: on/off/dimming via cord integrated dimmer




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED 	integrated	18,5 W	2700 K	PA3011	705.88 €	
		without		150 W max.		PA1011	663.87 €	

PAN AM Cross → available Q2 2017

material	brushed aluminium with protective coating
lamp	Soraa® Vivid full spectrum LED 18,5 W, E27 socket, beam angle 36°, CRI Ra>95, R9>95, EEI A+ (suitable for A++ to A) or delivery without lamp; socket: E27 (suitable for EEI A++ to E)
light	directly forward, shielded to the sides and rearwards
features	shade can be rotated by 350° and tilted by 270° to the sides; control: on/off/dimming via cord integrated dimmer




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
●	brushed	new LED 	integrated	18,5 W	2700 K	PA3001	739.50 €	
		without		150 W max.		PA1001	697.48 €	

POPPY Floor 1

material	arm: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass ceramic, black violet or ruby red; lamellae: bimetal; canopy: stainless steel, polished
lamp	halogen lamp 35 W, 12 V, G4 socket, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; foot switch control




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arm beige, shade ceramic	HAL	on/off	35 W	2700 K	PO1055	428.57 €	
	arm beige, shade ruby red	HAL	on/off	35 W	2700 K	PO1054	428.57 €	
	arm beige, shade black violet	HAL	on/off	35 W	2700 K	PO1053	428.57 €	
	arm black, shade ceramic	HAL	on/off	35 W	2700 K	PO1052	428.57 €	
	arm black, shade ruby red	HAL	on/off	35 W	2700 K	PO1051	428.57 €	
	arm black, shade black violet	HAL	on/off	35 W	2700 K	PO1050	428.57 €	

POPPY Floor 3

material	3 arms: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass ceramic, black violet or ruby red; lamellae: bimetal; canopy: stainless steel, polished
lamp	3 x halogen lamp 35 W, 3 x G4 socket, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; foot switch control




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	on/off	105 W	2700 K	PO1061	605.04 €	
	arms beige, shades ruby red	HAL	on/off	105 W	2700 K	PO1060	605.04 €	
	arms beige, shades black violet	HAL	on/off	105 W	2700 K	PO1059	605.04 €	
	arms black, shades ceramic	HAL	on/off	105 W	2700 K	PO1058	605.04 €	
	arms black, shades ruby red	HAL	on/off	105 W	2700 K	PO1057	605.04 €	
	arms black, shades black violet	HAL	on/off	105 W	2700 K	PO1056	605.04 €	

POPPY Floor 5

material	5 arms: flexible, textile coated aluminium tube in beige or black, length 75 cm; glass shade: mouth-blown glass ceramic, black violet or ruby red; lamellae: bimetal; canopy: stainless steel, polished
lamp	5 x halogen lamp 20 W, 5 x G4 socket, EEI C (suitable for B to E)
light	directed forwards, decorative
features	lamellae open within approx. 2 minutes after switching on luminaire; foot switch control




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	arms beige, shades ceramic	HAL	on/off	100 W	2700 K	PO1067	747.90 €	
	arms beige, shades ruby red	HAL	on/off	100 W	2700 K	PO1066	747.90 €	
	arms beige, shades black violet	HAL	on/off	100 W	2700 K	PO1065	747.90 €	
	arms black, shades ceramic	HAL	on/off	100 W	2700 K	PO1064	747.90 €	
	arms black, shades ruby red	HAL	on/off	100 W	2700 K	PO1063	747.90 €	
	arms black, shades black violet	HAL	on/off	100 W	2700 K	PO1062	747.90 €	

SLANT Floor

- material

tube: stainless steel brushed; shade: polyethylene with or without white or black-white cover
- lamp

delivery without lamp; socket: E27 (suitable for EEI A++ to E)
- light

directed upwards and downwards, diffuse all around
- accessory

fabric cover; individually printed cover on request
- features

cover removable and washable; protection class IP44;
110 V versions on request




figure	description	lamp	power	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade polyethylene	without	205 W max.	ST2003	831.93 €	
	brushed, shade with cover	without	205 W max.	ST2007	966.38 €	

SLANT Floor Event

- material

tube: stainless steel brushed; shade: polyethylene with or without white or black-white cover
- lamp

delivery without lamp; socket: E27 (suitable for EEI A++ to E)
- light

directed upwards and downwards, diffuse all around
- accessory

fabric cover; individually printed cover on request
- features

curved stand as protection against tilting and tripping;
cover removable and washable; protection class IP44;
110 V versions on request




figure	description	lamp	power	art.-no.	€ excl. VAT	€ incl. VAT
	brushed, shade polyethylene	without	205 W max.	ST2013	831.93 €	
	brushed, shade polyethylene with cover	without	205 W max.	ST2017	966.38 €	

SLICE Floor → available Q4 2017

material	luminaire head, tube and base: aluminium glossy chrome-plated or coated black, white or silver; lamp cover: below prism pattern glass; TC-L with top open, LED versions closed
lamp	2 x compact fluorescent lamps TC-L 80 W, 2 x 2 G11 socket, EEL A (suitable for A++ to A) or LED 2 x mid power boards, 2 x 45 W, CRI Ra>80, EEL A+ (suitable for A++ to A)
light	beaming freely upwards, downwards directed through prism pattern glass; light distribution LED: indirect 85 %/direct 15 %; other technical versions (CCT/CRI/power) on request
features	regulation on/of/dimming with a touch dimmer at luminaire head or due to an integrated sensor (presence and ambient light dependent); unifid glare rating UGR<19; on request Slice Furniture and Slice with adapter for USM Haller table systems available with LED





figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	chrome-plated	FL	integrated	160 W	3000 K	SL1004	915.97 €	
					4000 K	SL1002	915.97 €	
		FL	sensor	160 W	3000 K	SL1008	1,168.07 €	
					4000 K	SL1006	1,168.07 €	
	chrome-plated base silver	LED	integrated	90 W	3000 K	SL2001	1,252.10 €	
					4000 K	SL2002	1,252.10 €	
		LED	sensor	90 W	3000 K	SL3001	1,420.17 €	
					4000 K	SL3002	1,420.17 €	
	black	LED	integrated	90 W	3000 K	SL2101	1,168.07 €	
					4000 K	SL2102	1,168.07 €	
		LED	sensor	90 W	3000 K	SL3101	1,336.13 €	
					4000 K	SL3102	1,336.13 €	
	white	LED	integrated	90 W	3000 K	SL2201	1,168.07 €	
					4000 K	SL2202	1,168.07 €	
		LED	sensor	90 W	3000 K	SL3201	1,336.13 €	
					4000 K	SL3002	1,336.13 €	
	silver	LED	integrated	90 W	3000 K	SL2301	1,168.07 €	
					4000 K	SL2302	1,168.07 €	
		LED	sensor	90 W	3000 K	SL3301	1,336.13 €	
					4000 K	SL3302	1,336.13 €	


Accessories




CURLING
cover plate
p. 72



CURLING, REEF
canopy profile 2
p. 72




CURLING, REEF
canopy profile 3
p. 72




PROPELLER
cover
p. 72



SML
wall reflector
p. 72



SML
wall cover
p. 73



SML²
wall cover
p. 73



MIRROR
adapter set
p. 73



ZOOM
crystal glass pendant
p. 74



ZOOM XL
crystal glass pendant
p. 74



E27
lamp
p. 74



GU10
lamp
p. 74

CURLING cover

material aluminium polished or coated white
features for bigger power outlets between 80 and 110 mm
suitable for **CURLING** Suspension Rope S, M, L or **CURLING** Suspension Tube S, M, L

| 8
 2 110

figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	white	CU1998	29.41 €	
	polished	CU1999	33.61 €	

CURLING, REEF canopy profile 2

material aluminium brushed or polished
suitable for 2 x **CURLING** Suspension Rope S, M, L or 2 x **CURLING** Suspension Tube S, M, L
 2 x **REEF** Suspension 1




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	BP1001	218,49 €	
	polished	BP1002	235,29 €	

CURLING, REEF canopy profile 3

material aluminium brushed or polished
suitable for 3 x **CURLING** Suspension Rope S, M, L or 3 x **CURLING** Suspension Tube S, M, L
 3 x **REEF** Suspension 1




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	brushed	BP1004	285,71 €	
	polished	BP1005	310,92 €	

MIRROR adapter set

material plastic thread insert for mounting on genuine glass mirror (up to 8 mm glass thickness)
suitable for **APP** Wall, **LID** Wall, **REEF** Wall, **ROD** Wall, **SML** Wall, **SML²** Wall, **SML T5** Wall



figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	Set	ZB1001	37.82 €	

PROPELLER cover

material cover white made of 80% polyamide and 20% elastane
features mounting tool-free to spring wire steel




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	white	PR1004	75.63 €	

SML wall reflector

material aluminium silver anodized
suitable for SML Wall




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	silver, SML Wall S	SM1035	67.23 €	
	silver, SML Wall M	SM1036	75.63 €	
	silver, SML Wall L	SM1037	84.03 €	

SML wall cover

material aluminium silver anodized or chrome-plated
suitable for SML Wall




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	silver, SML Wall S	SM1053	25.21 €	
	silver, SML Wall M	SM1054	26.89 €	
	silver, SML Wall L	SM1055	29.41 €	
	chrome-plated, SML Wall S	SM3053	37.82 €	
	chrome-plated, SML Wall M	SM3054	42.02 €	
	chrome-plated, SML Wall L	SM3055	46.22 €	

SML² wall cover

material aluminium coated silver, black or white or polished
suitable for SML² Wall 150, 220, 300; other sizes on request




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	silver, SML ² Wall 150	SM4053	37.82 €	
	white, SML ² Wall 150	SM4056	37.82 €	
	black, SML ² Wall 150	SM4059	37.82 €	
	polished, SML ² Wall 150	SM4062	46.22 €	
	silver, SML ² Wall 220	SM4054	42.02 €	
	white, SML ² Wall 220	SM4057	42.02 €	
	black, SML ² Wall 220	SM4060	42.02 €	
	polished, SML ² Wall 220	SM4052	50.42 €	
	silver, SML ² Wall 300	SM4055	46.22 €	
	white, SML ² Wall 300	SM4058	46.22 €	
	black, SML ² Wall 300	SM4061	46.22 €	
	polished, SML ² Wall 300	SM4048	54.62 €	

ZOOM crystal glass pendant

material	polynomial pendant: chain approx. 60 mm with 3 x octagon and icicles made of edged crystal glass
features	simple mounting by hooking in lower snake fence's pivot points




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	crystal glass pendant set (20 pcs.)	ZO1014	155.46 €	

ZOOM XL crystal glass pendant

material	polynomial pendant: chain approx. 100 mm with 3 x octagon and icicles made of edged crystal glass
features	simple mounting by hooking in lower snake fence's pivot points




figure	description	art.-no.	€ excl. VAT	€ incl. VAT
	crystal glass pendant set (20 pcs.)	ZO1015	327.73 €	

E27 lamp

→ available Q2 2017

lamp	Soraa® Vivid full spectrum LED 18,5 W, beam angle 36°, 930 lm, CRI Ra>95, R9>95, E27 socket
Passend für	PAN AM, ONE EIGHTY (all models size L)




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	PAR30L Vivid	LED	dimmbar	18,5 W	2700 K	ZB2001	75.63 €	

GU10 lamp

→ available Q2 2017

lamp	Soraa® Vivid full spectrum LED 9,5 W, beam angle 36°, 465 lm, CRI Ra>95, R9>95, GU10 socket
Passend für	ONE EIGHTY (all models size S)




figure	description	lamp	control	power	CCT	art.-no.	€ excl. VAT	€ incl. VAT
	MR16 - GU10 Vivid	LED	dimmbar	9.5 W	2700 K	ZB2002	42.02 €	

Info

caption

 2G11 TC-L fluorescent lamp	 G5 fluorescent lamp	 new models 2017
 B15d halogen lamp	 G9 halogen lamp	 discontinued models, while socks
 CoB Zhaga comp. LED-holder	 GU10 Soraa full-spectrum lamp	
 E14	 LED CoB »chip on board«	
 E27	 LED mid power pcb	
 E27 LED-retrofit	 LED high power pcb	
 E27 Soraa full-spectrum lamp	 R7s halogen lamp	
 G4 halogen lamp	 ZOOM LED high power pcb	

CCT	LED luminaires with colour temperature 2700 K are available at short notice. LED luminaires with colour temperature 3000 K require longer delivery times.
-----	--

DALI	All LED luminaires equipped with DALI transformers are suitable for the use in emergency lighting systems (except ROD).
------	---

	You can find useful information at www.serien.com/downloads : data sheets, catalogs, price lists, light data, 3D CAD files, EU energy charts, declarations of conformity, return form, FAQs, assembly instructions, drilling stencils and other service instructions.
---	---

	The Excel file with article numbers and current prices are available to our trading partners. Please contact us at: serien@serien.com
---	---

sales

our representations and contacts in english-speaking countries

serien Raumleuchten GmbH
Oliver Buhr und Birgit Eberius

Hainhäuser Straße 3–7
63110 Rodgau, Deutschland

M +49 151 426 43 039 (OB)
T +49 6106 6909 0
F +49 6106 6909 22
E serien@serien.com

If you have any questions regarding our products, their delivery terms and times, please contact our back office:
Serien.lighting Headquarters: +49 6106 6909 0

awards

ANNEX

2013	Design Award of the Federal Republic of Germany, Nomination
2012	Design Plus
2011	International Design Award Baden-Württemberg, Focus Silver

APP

2017	German Design Award, Special Mention
2016	Design Plus
2016	Iconic Award Interior Innovation Winner

CURLING

2016	International Design Award Baden-Wuerttemberg, Focus Silver
2016	Iconic Award Interior Innovation, Best of Best

ELANE

2012	German Designer Club, Good Design Bronze
------	--

JOB

2010	German Designer Club, Good Design Silver
2009	Design Award of the Federal Republic of Germany, Nomination
2009	The Israel Museum, Collection

JONES

1999	Red Dot Design Award
------	----------------------

ONE EIGHTY

2011	Design Award of the Federal Republic of Germany, Nomination
2010	Red Dot Design Award

PROPELLER

2011	Design Award of the Federal Republic of Germany, Nomination
2009	The Israel Museum, Collection
2008	Red Dot Design Award

REEF

2006	Design Award of the Federal Republic of Germany, Nomination
2004	Red Dot Design Award
2004	Design Plus
2004	Design Award of the Federal Republic of Germany, Nomination
2003	International Design Award Baden-Württemberg, Focus Silver

SEVENTY SEVEN

1991	iF Award
------	----------

SLANT

2013	German Design Award, Nomination
2012	German Designer Club, Good Design Silver

SLICE

2015	German Design Award, Nomination
------	---------------------------------

SML

2006	Design Award of the Federal Republic of Germany, Nomination
2004	Red Dot Design Award
2004	Design Award of the Federal Republic of Germany, Nomination
2003	International Design Award Baden-Württemberg, Focus Silber

SML²

2014	German Design Award, Nomination
2013	Design Award of the Federal Republic of Germany
2013	Red Dot Design Award

SML T5

2004	Design Plus
2004	Design Award of the Federal Republic of Germany
2004	iF Award
2003	International Design Award Baden-Württemberg, Focus Silver

TWIN

2015	German Design Award Gold
2014	Design Plus

ZOOM

2007	Design Award of the Federal Republic of Germany, Nomination
2004	Design Award of the Federal Republic of Germany, Nomination
2003	Red Dot Design Award
2003	International Design Award Baden-Württemberg, Focus Gold

Imprint

This price list supersedes all previously published price lists. All prices are net prices. Retail prices may differ with local sales taxes applied. Lamps are included unless specifically mentioned otherwise. The drawings shown in this document are for informational purposes only. Although great care has been taken when creating them, their proportions may not correctly reflect the proportions of the real product. All dimensions are millimetres unless specifically declared otherwise. All orders are accepted subject to the Conditions of Sale of serien Raumleuchten GmbH. Subject to alteration without notice. Prices may be adjusted during the period covered by the price list.

serien Raumleuchten GmbH | Hainhäuser Straße 3–7, 63110 D–Rodgau | T +49 6106 6909 0 | F +49 6106 6909 22 | www.serien.com | serien@serien.com

