

# CENTRAL

## Data Sheet

Suspension LED



Central combines graceful design with high functionality and flexibility. The striking lampshade with its light groove giving rise to a soft light, is characteristic of the luminaire range. As a pendant luminaire, Central Suspension is suitable for a wide range of interior fittings.

Examples of application:  
Luminaire for living space and objects.  
For highlighting seating groups. For high and low tables.

## Technical data sheet

Central Suspension bathes tables and spaces in brilliant light. Central Suspension comes with integrated LED lamps, which at the end of their life can be replaced by qualified staff. The luminaire is controlled by means of an integrated gesture dimmer.

Design Formfjord

## Material &amp; surfaces



Cable

transparent

Shade and canopy

aluminum lacquered  
in white

aluminum lacquered  
in pearl gray

aluminum lacquered  
in black

## Dimensions



## Technical data

Illuminant

LED CoB  
(The LED circuit board can be replaced by qualified staff)

Power (nominal value)<sup>1</sup>

35 W

Luminous flux LED  
(nominal value)<sup>1</sup> / 2700 K  
Color temperature

3400 lm

Color rendering index

> 90 CRI

Operating voltage

primary 220 – 240 V AC

Control

via integrated gesture sensor with dimmer

Average lifetime LED

50.000 h<sup>2</sup>

Energy efficiency class

A++ to A

Guarantee

2 years

Cleaning


only clean with slightly damp microfibre cleaning cloth

Weight

ca. 3.8 kg

Please note: The luminaire must not be operated with an external dimmer (e.g., dimmable or variable socket)!  
This can lead to permanent damage to the electronics. In the event of non-compliance the warranty becomes invalid.

## Article numbers

		Output (nominal value) <sup>1</sup>	Control Technology	CRI <sup>3</sup>	Color Temperature <sup>3</sup>	Shade surface	Article Number
	CENTRAL Suspension	35 W	via integrated gesture sensor with dimmer	> 90	2700 K	white	CE1112
						pearl gray	CE1113
						black	CE1111

<sup>1</sup> The nominal values given refer to the illuminants employed at the time the data sheet was compiled. Subject to alterations.

<sup>2</sup> Specified by the manufacturer. serien Raumleuchten GmbH assumes no liability for the accuracy of the information.

<sup>3</sup> Other versions available on request.